


Filling the Feed Troughs of Minnesota and Beyond



# **Technical Report Documentation Page**

1. Report No.	2.	3. Recipients Accession No.		
MN/RC – 2002-13				
4. Title and Subtitle		5. Report Date		
FILLING THE FEED TROUGHS	OF MINNESOTA AND	September 2001		
BEYOND		6.		
7. Author(s)		8. Performing Organization Report No.		
Douglas G. Tiffany, M.S. and Jerry	y Fruin, Ph.D.			
9. Performing Organization Name and Address		10. Project/Task/Work Unit No.		
University of Minnesota – Departn	nent of Applied Economics			
316 Classroom Office Building		11. Contract (C) or Grant (G) No.		
1994 Buford Avenue		C) 74708 wo)155		
St. Paul, Minnesota 55108				
12. Sponsoring Organization Name and Address	3	13. Type of Report and Period Covered		
Minnesota Department of Transpor	rtation			
395 John Ireland Boulevard Mail S	Stop 330	14. Sponsoring Agency Code		
St. Paul, Minnesota 55155				
15. Supplementary Notes		1		

16. Abstract (Limit: 200 words)

This study describes a portion of grain production and movement patterns in Minnesota. A related study, "Where Does Minnesota's Grain Crop Go?" uses grain elevator survey data to detail the movement levels and destinations of grain and oilseeds that are grown in Minnesota.

In this project, researchers identified 1999 grain and oilseed production levels, livestock populations in individual counties of the state, and required amounts of feed for the livestock populations. From this analysis, they determined net feed grain surpluses and deficits. They calculated the net movement of all grain after local feeding and processing activities to track the impacts on Minnesota roads.

The report includes tables that describe the consumption of feed grains and soybean meal by livestock in each county and maps that show the levels of production, surplus/deficit levels by county, and net movement of grains and oilseeds.

17. Document Analysis/Descriptors		18. Availability Statement	18. Availability Statement			
Grain Flow Study Livestock Consumption	Transportation Grain Production	No restrictions. Document available from: National Technical Information Services,				
Minnesota		Springfield, Virginia 22161				
19. Security Class (this report)	20. Security Class (this page)	21. No. of Pages	22. Price			
Unclassified	Unclassified	76				

# Filling the Livestock Feed Troughs of Minnesota and Beyond

# **Final Report**

Prepared by

Douglas G. Tiffany, M.S.

Department of Applied Economics University of Minnesota

Jerry Fruin, Ph. D.

Department of Applied Economics University of Minnesota

# September 2001

Published by

Minnesota Department of Transportation Office of Research Services First Floor 395 John Ireland Boulevard, MS 330 St. Paul, MN 55155

This report represents the results of research conducted by the authors and does not necessarily represent the views or policy of the Minnesota Department of Transportation. This report does not contain a standard or specified technique.

# **ACKNOWLEDGMENTS**

The authors express appreciation to The Minnesota Department of Transportation (Mn/DOT), and to the University of Minnesota's Agricultural Experiment Station. Special thanks are extended to members of the project's Technical Advisory Panel (TAP) and Technical Liaisons for the time, support, and insights they brought to this research. TAP members included:

- 1. Bob Zelenka, Executive Director, Minnesota Grain and Feed Association
- 2. Gerald Heil, Director of Ag. Marketing & Development, Minnesota Dept. of Agriculture
- 3. Mark Sackmaster, Director of Transportation, Cenex/Harvest States
- 4. Chuck Sanft, Planning Director, Office of Investment Management, Mn/DOT
- 5. Ron Johnson, Director of Trade Development, Duluth Seaway Port Authority
- 6. George M. Cepress, Office of Management Data Services, Mn/DOT
- 7. Lloyd T. Host, VP of Marketing, Twin Cities & Western Railroad Company
- 8. Kimberley Vachal, Upper Great Plains Transportation Instit., North Dakota State University

#### Technical Liaisons included:

- 1. Robert Gale, Planner Principal Transportation, Mn/DOT
- 2. Stephanie Snyder, Project Team Leader, Mn/DOT

The authors wish to thank the following University of Minnesota colleagues for their help in suggesting typical livestock rations as well as necessary numbers of animals to maintain breeding flocks and herds:

Dr. Bill Head, Department of Animal Science

Dr. Jerry Hawton, Department of Animal Science

Dr. Jim Linn, Department of Animal Science

Dr. Sally Noll, Department of Animal Science

Dr. Alfredo DiCostanzo, Department of Animal Science

Chad Zehnder, Department of Animal Science

Andrew Whyte, Department of Applied Economics

Wynn Richardson, Department of Applied Economics

David Schmidt, Department of Biosystems and Agricultural Engineering

Asitha Sandanayake, Department of Applied Economics

# **TABLE OF CONTENTS**

CHAPTER 1	INTRODUCTION	Page 1
CHAPTER 2	PROPOSED ANALYSIS AND DATA	3
CHAPTER 3	BUILDING AND UNDERSTANDING THE WORKBOOK	7
<b>CHAPTER 4</b> 4.1	ANALYZING THE WORKSHEETS OF THE WORKBOOK Detailed Assumptions Imbedded in "Eaters"	<b>9</b> 11
CHAPTER 5	ANALYSIS AND INTERPRETATIONS	17
CHAPTER 6	SUMMARY	25
END NOTES		27
APPENDIX A.	TABLES	<b>A-1</b>
APPENDIX B.	MAPS	<b>B-1</b>
LIST OF TABI	LES	
Table 2.1	t .	4
LIST OF FIGU	RES	
Figure 4.		9
Figure 5.		18
Figure 5. Figure 5.		19
Figure 5. Figure 5.		21
Figure 5.		22 23
9		<b>4</b> J

# **Executive Summary**

This study describes a portion of the grain production and movement patterns in Minnesota. 1999 levels of grain and oilseed production were identified as well as livestock populations in individual counties of the state. Animal scientists were consulted to ascribe typical consumption levels by the various livestock living in particular counties. A series of assumptions were required in order to determine the number of additional animals required to maintain sufficient breeding herds and flocks of livestock. Graphs were constructed to present the consumption levels of grain by livestock species in a statewide fashion. Tables provide detailed data to describe the consumption of feed grains and soybean meal by livestock in each county. Use of electronic spreadsheets allowed the authors to determine the extent of feed grain surplus or deficits in particular counties. Geographic Information System (GIS) software allowed the portrayal of several variables by mapping. These included grain production, corn or barley consumption, feed grain surplus or deficit level by county, net grain available for movement out of the county, and net grain available for movement expressed in "tons per square mile of farms".

# Chapter 1

#### Introduction

A drive through the farming regions of Minnesota during the growing season affords one many views of crops in production. Eventually the thousands and thousands of acres of grains and oilseeds that one observes are harvested. The crops may be stored near the site of production for later feeding or processed in other parts of Minnesota, or they may be shipped away at some appropriate time through the marketing year. The data developed and the analysis presented here seeks to describe the patterns of travel and use of grains and oilseeds originating in Minnesota. Starting from the production levels, this paper first estimates the quantities of feed required in each Minnesota county to feed resident livestock. Residual quantities of crops available to be transported to markets outside of the county of production are reported as well. The ultimate domestic and international destinations of Minnesota's exportable surpluses of corn and soybeans are also reported, based on a sample of rural Minnesota grain elevators participating in a survey sponsored by the Minnesota Grain and Feed Association. In the text, tables, graphs, and maps that follow, one can gain an appreciation of the dynamics of feed usage by livestock raised and finished in Minnesota and the effect of this localized usage of Minnesota grain production on the ultimate amounts and value of Minnesota crops leaving the state.

#### Chapter 2

# **Proposed Analysis and Data**

Published government statistics and typical animal consumption figures cited by animal scientists provide the base for calculating amounts of grain and soybean meal consumed by the livestock in the state of Minnesota. In addition to the commonly reported livestock classes, animal scientists at the University of Minnesota offered guidance on typical complements of animals raised and retained as replacements for the breeding herds and flocks, as well as the feed necessary to achieve their growth and development. The motivation for determining these amounts stems from the very practical questions surrounding the quantities of grain that must make their way along the roadways, railways, and rivers en route to their ultimate destinations, whether down the road or around the globe. Recent years have witnessed substantial changes in livestock numbers, the types of livestock, the locations of livestock facilities and the size of livestock operations in Minnesota. Grain flow patterns are very dynamic as well, with varying amounts of grain required to fulfill the needs at various destinations. To guide investments in transportation infrastructure for grain movement in Minnesota and beyond, the quantities of production, amounts consumed or utilized in the state, and the paths to ultimate destinations were determined.

Minnesota's agricultural history and economic advantages have brought us to the present situation with respect to the livestock flocks and herds on farms across the state. To make sense of today's situation, classes of livestock were identified along with their unique consumption patterns. The table appearing on the following page contains the various classes of livestock on which this study was based. The classes are unique in terms of their age and production requirements, whether grown as a meat animal, as a replacement in the breeding herd or flock, or for production of milk or eggs. The sources of the animals are also noted to distinguish between animals raised within the state and those that are imported or exported. The numbers of Minnesota animals fed in each class in 1999 and their annual or per head consumption in pounds of corn, soybean meal, and oats are shown below in Table 2.1.

Table 2.1 Livestock Numbers in Classes and Pounds of Feed Consumed

Animal Description	Fed/Year	Corn	Soy. Meal	Oats
Dairy Cows	545,000	5824	1700	
Replacement Dairy Heifers	389,130	2400	1000	
Dairy Herd Bulls	8,135	2912	680	
Growing Replacement Dairy Bulls	4,068	2400	1000	
Dairy Calves Weaned, Raised/Yr.	526,252	750	350	
Beef Cows	385,000	450	50	
Replacement Beef Heifers (calves-yrlg.)	77,000	300	0	
Replacement Beef Heifers (12-24mo.)	77,000	0	0	
Beef Bulls (yearlings & mature)	21,483	2912	680	
Growing Replacement Beef Bulls	10,742	2400	1000	
MN origin beef calves	392,700	185	0	374
MN-Born Dairy Beef	228,671	8223	144	
MN- Born Beef Feeders	267,646	4192	110	
MN-Born Dairy Bf Fed (EX Birth Co.)	34,455	8223	144	
Imported Beef Calves	222,000	4192	110	
Imported Beef Yearlings	74,000	3480	65	
Imported (Phantom) Beef Yearlings	74,000	3480	65	**************************************
Ewes & Rams	93,940	330	29	
Creep Feeding of Lambs	115,830	50	5.2	
Replacement Ewes	15,840	115.5	34.5	10
Growth & Finishing MN Raised Lambs	99,990	252	36	
Imported Feeder Lambs	51,000	252	36	
Sows & Boars	492,200	1,756	444	
Growing of Young Pigs	9,289,000	76.6	35.4	
Growing of Replacement Gilts	207,000	542	114	
Hogs Finished	11,262,720	542	114	
Laying Hens	12,240,000	56.21	12.05	
Replacement Layer Pullets	3,060,000	24.09	4.2	
Broilers	44,200,000	5.67	2.08	
Turkey Breeder Hens and Toms	540,000	82.6	18.88	,
Turkey Replacement Hens & Toms	1,004,400	70	16	
Turkey Consumer Hens (14#)	10,875,000	17.74	8.26	
Turkey Heavy Hens (22#)	10,875,000	35.09	16.55	
Turkey Heavy Toms (36#)	21,750,000	64.72	27.17	

Sources of livestock rations in Table 2.1: All from the Department of Animal Science, University of Minnesota, Dairy--- Dr. Jim Linn, Beef--- Dr. Alfredo DiCostanzo and Chad Zehnder, Sheep--- Dr. William Head, Swine--- Dr. Jerry Hawton, and Poultry --- Dr. Sally Noll.

Ranging from broilers to dairy cows and from brood sows to replacement ewes, thirty-four classes of livestock have been quantified as well as their likely consumption of corn, barley, oats, and soybean meal. For a broiler to be raised from the day it hatches until slaughtered forty-five days later generally requires 2.08 lb. of soybean meal and 5.67 lb. of corn. At the other extreme in size, a dairy cow typically requires 5824 lb of corn and 1700 lb. of soybean meal to maintain herself, produce a calf, and produce 15,000 pounds of milk each year. The dairy cow, the beef steer, and the lamb each consume substantial amounts of forages, as well, such as hay, haylage, and corn silage. However, these feeds are not typically transported very far from the site of production and so are outside consideration for this project.

Because no data is collected on certain important classes of livestock living in the state, their numbers were derived based upon the judgements of animal scientists and recorded figures for other animals of their species. For example, it was necessary to determine the likely complement of replacement dairy heifers that must be raised and kept in order to sustain the dairy cow herd at its reported level. It was necessary to estimate the likely proportion of bulls needed to service the recorded number of cows and heifers. It was also necessary to determine how many replacement bulls are needed to keep bull numbers adequate. The situation was similar for swine and turkeys. With respect to swine, examination of the printed statistics reveals that there are imports of hogs from other states and also Canada. Beef cattle have interesting dynamics with respect to movements of feeder cattle from Minnesota to states such as Iowa and regions to the south as well as movement of calves and yearling from Montana and the Dakotas to Minnesota for finishing. The last five years have witnessed increasing numbers of feeder pigs imported into Minnesota. These animals are represented and have been allocated to "hog-feeding" counties in the "Eaters" spreadsheet. All this modeling requires one to make numerous assumptions and I shall attempt to list them all as they occur in the "Graineaters" workbook.

# Chapter 3.0

# Building and Understanding the "Graineaters" Workbook

In order to preserve the many necessary assumptions and then calculate and verify animal numbers, the "Graineaters" workbook was created. Like all workbooks, it consists of several worksheets. Working with separate worksheets often helps the researcher keep his calculations under control and separated. In some cases the figures from one of the worksheets are linked and shared with another. In almost all cases the worksheets have the common features of having a listing of the Minnesota counties along the far left column grouped by Crop Reporting Districts. The worksheets also have similar column headings in order to classify various variables by class of consuming livestock. The individual worksheets of the "Graineaters" workbook include the following as described in the following list:

This worksheet contains the county-by-county production levels of **Grainprod** the major grain and oilseed crops in Minnesota in 1999.

This worksheet was used to record (in some cases) and derive (in other cases) the numbers of animals likely to be eating corn,

barley, oats, or soybean meal in Minnesota in 1999.

CornBarpile This worksheet was used to summarize the amount of corn or

barley consumed by each class of livestock in each of the counties and for the state as a whole. Because corn and barley are quite easily substituted, efforts were made to utilize barley by the livestock in counties that produce barley. This worksheet was used

to determine the magnitude of corn or barley surplus/deficit.

**SBMpile** This worksheet was used to summarize the amount of soybean

> meal consumed by each class of livestock in each of the counties and for the state as a whole. With the exception of beef heifers yearlings and older, all the classes of livestock consume some

amount of soybean meal.

**Eaters** 

# **Oatspile**

This worksheet was used to summarize the amount of <u>oats</u> consumed in each county. Beef calves are the typical consumers of oats and are the only class of animals identified in this study. There are livestock producers who utilize oats in the rations of other livestock such as sows, boars, and various poultry. However, usage of oats by these individuals was judged to be minor.

#### NetGrTraf

Net Grain Traffic was calculated by subtracting the 1999 needs of local livestock consumption from levels of production of grain and oilseed production in 1999. This worksheet was also used to identify the net grain imports in the case of certain corn deficit counties.

# Mapable


This worksheet contains data in tabular form that has also been classified in order to make maps in ArcView that are presented in this paper.

## Chapter 4.0

# Analyzing the Worksheets in the "Graineaters" Workbook

A basic understanding of the magnitude of statewide production of grains and oils seeds can be gathered from tables compiled on the **Grainprod** worksheet. The following graph allows one to quickly grasp the volumes of the grains and oilseeds produced in Minnesota in 1999.<sup>2</sup>

Figure 4.1



**Tables A-1 and A-2**, which are contained in the **Table Appendix (A)**, give detailed crop production data of the major crops grown in each of the Minnesota counties in terms of bushels and tons, respectively.

The worksheet **Eaters** details the relationships and dynamics of the major livestock categories in Minnesota. As mentioned previously, it was necessary to derive the numbers of the many animals in the breeding herd in order to account for the amounts of feed eaten by these animals. In addition, this worksheet facilitated an accounting of animals as they moved through stages of their lives or took various paths whether as breeding or production animals or whether imported or exported from the state.

This spreadsheet also facilitated efforts to allocate animal numbers to counties for feeding activities by determining the counties with animal numbers increasing above the number produced in the county.

This listing of detailed assumptions and the truncated pages labeled as **Table A-3** in the **Table Appendix (A)** demonstrate how the **Eaters** spreadsheet was set up and how it utilized the many assumptions. In addition, one can note at the top of each column the pounds of corn, soybean meal, and possibly oats fed to the numbered animals in each category. The recording and calculation of data from Eaters continues in the spreadsheet with sixty-one columns ranging from A to BI and rows for the eighty-seven counties of the state.

#### Chapter 4.1

## **Detailed Assumptions Imbedded in "Eaters"**

As mentioned above, numerous assumptions were necessary to calculate the numbers of many classes of livestock that are not reported to the U.S. Department of Agriculture or the Minnesota Crop and Livestock Reporting Service. Here are notes on each column:

- A This column identifies the Minnesota county and groups counties by Crop Reporting District.
- B This column records the number of cattle recorded for the county as of January 1.3
- C This column records the number of dairy cows.<sup>4</sup>
- D This column contains the **derived** number of dairy heifers, greater than 500 lb. kept for replacements of the milking herd. The number of replacement dairy heifers kept in the herd was determined to be 71.4% of the number of cows.<sup>5</sup>
- This column contains the **derived** number of bulls required for breeding on Minnesota dairy farms that do not use artificial insemination. Of the females bred on Minnesota dairy farms, there are the cows and senior yearling heifers, which represent 35.7% of the number of cows. <sup>6</sup> Natural service was occurring for 22 % of all Minnesota dairy cows in 1999. Bull numbers are assumed to equal 5% of the number of heifers and cows to be bred. Based on data published in, bulls require 50% of the energy and 40% of the protein required by lactating dairy cows.<sup>7</sup>
- This column contains the **derived** number of bulls being raised to replace the bulls used in the dairy herds as they need to be retired. It is assumed that for every two bulls in service, one replacement must raised. It is assumed that the growing bull will eat a similar amount of corn and soybean meal as a replacement dairy heifer.
- G. This column contains the **derived** number of dairy calves weaned per year. This figure was calculated based on published dairy records of many dairy farms. With 80% of cows being successful in producing a calf and cows giving birth every 14 months instead of every 12 months, one can realize that .80 X 12 months/14 months equals the effective cow reproduction rate of .68 per year. Senior yearling heifers, representing 35.7% of the herd, have an 80% chance of calving in the year as well.

- H. This column is used to **derive** the number of dairy calves (bulls) that are available to be fed as "dairy beef" in Minnesota. It was assumed that 50% of all calves were bulls, and that all are fed out in the Minnesota.
- I. This column contains the recorded number of beef cows as captured in the inventory of cattle on farms. 8
- J. Based on the number of beef cows (column H.), this column records the **derived** number of beef heifers weighing from 500-800# that farmers are likely to be holding to replace aging cows in their beef herds, which was assumed to be 20% of the number of cows.
- K. Figures in this column are **derived** from the number of beef cows (column H.) and represent beef heifers from twelve to 24 months of age, which is also 20% of the number of cows in the herd. <sup>10</sup>
- L. This column contains **derived** figures for the number of beef bulls (yearlings and older) needed for the "beef herd" of each county. This number is based on the requirement of 5% bulls to the number of females to be bred on the 93% of farms using natural service.<sup>11</sup>
- M. This column contains **derived** figures for the number of replacement beef bulls from 500 pounds until they are yearlings. It was assumed that for every two bulls in service, one replacement must be raised each year as a replacement.
- N. This column contains the **derived** number of beef calves assumed to be born to beef cows in 1999 in each MN county. Estimates of an animal scientist suggest that 85% of the cows and 85% of the older beef heifers will have a living calf each year. 12
- O. This column **derives** the number of beef feeders after calculating herd replacements for bulls and heifers. One must take calves born and living and subtract the number of replacement heifers and replacement bulls kept from each calf crop. The remainder is then the number of MN born beef calves that are available to be feed out. Some will be fed out in MN and others will be shipped to locations outside the state for feeding. This feeding period is from 80 lb. to 500 lb. It is assumed that no calves are shipped out of MN until they reach 500 pounds.
- P. This column **derives** the number of possible feeders on MN farms based on the numbers of cows, bulls, replacement heifers, and replacement bulls subtracted from the column B, which is "All Cattle on Farms Jan. 1". <sup>13</sup> Some of the feeders evident are from other MN counties and others are from other states.

- Q. This column of figures **derived** the number of beef and dairy feeders born in each MN county.
- R. This column contains **derived** numbers of feeders evident in each county and whether or not feeders are being imported or exported from the county. It is calculated by determining the difference between the number of beef and dairy feeders born in each county and the number that are found to be there after the January 1 inventory.
- S. This column contains the **derived** figure of the feeders imported to counties whether from other MN counties or outside of MN.
- T. This column contains the net factor (positive) of imports to each County from MN or elsewhere.
- U. This column utilizes the factor from column T to **derive** the number of feeders as dairy beef feeders in proportion to the percentage dairy feeders represent of both dairy and beef feeders born and raised in the county.
- V. This column **derives** the number of MN born beef feeders that are evident to be fed in the county in the same proportion that beef feeders represent of total dairy and beef feeders.
- W. This column contains the number of feeders necessary to meet the inventory figures. These feeders must have come from other MN counties or from other states.
- X. This column allocates (divvies) "leftover" dairy beef steers not allocated by column U among MN counties that require more feeders to balance with inventory numbers.
- Y. This column allocates (divvies) the beef feeders not allocated by column V. The amount of 8758 beef calves to allocate implies that 37,313 MN-born beef calves were exported for feeding from MN.
- Z. This column **allocates** the numbers and destination counties for beef feeder calves imported into MN and assumes that 60% of the the 370,000 feeder cattle imported into MN are calves, or 222,000 head.<sup>14</sup> The number of imported feeders is allocated in proportion to the net factor of import for feeders (col. T).
- AA This column projects the numbers and destination counties for beef yearlings imported into MN. Based on assumptions that 40% of the 370,000 feeders imported into MN are yearlings and that half or 20% of 370,000, or 74,000 are evident when cattle census is taken January 1.

- AB This column projects the numbers and destination counties for "phantom" beef yearlings imported into MN. (These are called "phantom" yearlings because these animals come into MN, are fed for 180 days and then go to slaughter before their numbers can be noted in the Jan. 1 inventory of cattle.) They are assumed to represent half of all yearlings imported into MN, or 74,000.
- AC This column records the number of breeding sheep and lambs on farms. <sup>15</sup>
- AD This column splits out the number of ewes and rams in the breeding sheep herd. Rams are assumed to be 4.4 % of the breeding flock, with ewes representing 81% of the breeding flock.
- AE This columns contains the derived number of lambs creep fed, which is assumed to be 130% of the number of ewes in the breeding flock.
- AF This column derives the number of replacement ewes (14.4%) of the breeding flock, or 18% of the number of ewes, which are needed to keep the breeding herd stable. 16
- AG This column represents the number of growing and finishing lambs being fattened for market by subtracting the number of lambs kept to replace aging ewes.
- AH This column allocates the number of imported feeder lambs among the primary sheep production counties.
- AI This column takes the number of imported feeder lambs and determines the proportion of imported feeder lambs fed in each county.
- AJ This column shows the number of feeder lambs fed in "corn" counties.
- AK This column calculates the number of sows on farms by dividing the number of farrowings by 2.25 per year and also adding in 7% to account for needed boars. It is assumed that sows and boars have the same dietary requirements. <sup>17</sup>
- AL This column is the number of annual farrowings recorded by U.S. D. A. 18
- AM This column records the number of pigs saved in each county. 19
- AN This column contains the **derived** number of gilts (equal to 45% of the sow herd that must be replaced each year.
- AO This column contains the 1999 Hog & Pig Inventory as recorded by county. <sup>20</sup>

- AP This column contains the **derived** annual county balance calculated for finishing hogs. The numbers in this column indicate whether or not hogs are imported or exported for feeding.
- AQ This column identifies the counties that are feeding out hogs for market.
- AR This column calculates the proportion of all hogs finished in each of the "feeding counties".
- AS The **derived** result in this column represents the number of hogs fed from 45 to 250 pounds in each county.
- AT This figure records the number of chicken laying hens recorded in each county in 1994. These figures were used to scale the 1999 MN Crop and Livestock estimate of state levels. <sup>21</sup>
- AU This column records the calculated proportion of chicken layers assumed to be found in each county in 1999 based on scaling the 1994 figures.
- AV In this column the 1999 statewide number of laying hens is allocated in proportion to the 1994 reported county levels of laying hens.
- AW In this column the number of replacement layers, or pullets, is calculated for each of the counties.
- AX This column contains the number of broilers produced in each county in 1994. <sup>22</sup>
- AY With this column the proportion of statewide broiler production is calculated for each of Minnesota's counties.
- AZ In this column, the 1999 statewide reported figure is allocated among the counties of MN in proportion to the way they occurred in 1994, the last date with county-level resolution.
- BA This column contains the number of turkeys produced in each county in 1994. <sup>23</sup>
- BB This column contains the calculated proportion of statewide total that turkey numbers were in each county in 1994.
- BC This column identifies the top 27 "Turkey Production Counties".

- BD This column contains the **derived** proportion of the turkey breeder flock expected in each county.
- BE This column of figures **derives** the number of turkey breeders, with toms representing 8% of the breeding flocks. The flocks are assumed to eat this diet from weeks 30-58 of their lives. The 1999 statewide turkey breeding flock is thus allocated to counties around the state in proportion to the incidence of turkeys found in 1994.<sup>24</sup>
- BF This column **derives** the number of turkey replacement hens and toms needed as replacements, and the amount of feed they eat from weeks 0-30 of their lives.<sup>25</sup>
- BG This column contains the allocated number of turkeys in the "consumer hen" category fed out in each Minnesota County.<sup>26</sup>
- BH This column contains the allocated number of turkeys in the "heavy hen" category fed out in each MN County. <sup>27</sup>
- BI This column contains the allocated number of turkeys in the "heavy tom" category fed out in each county.<sup>28</sup>

The worksheet **CornBarPile**, which refers to the combined feed requirements that can be met by feeding of either corn or barley. On a pound for pound basis, barley is generally considered 88% as effective as corn in feeding most species and classes of livestock.<sup>29</sup> In addition, a bushel of barley consists of 48 pounds, while a bushel of corn consists of 56 pounds. To put bushels of barley on an equal nutritional footing with bushels of corn it is necessary to multiply bushels of barley by the factor of .88 and also by .857 (which results from the test weight differences 48/56). Taken together, a bushel of barley is equivalent to .75416 bushels of corn.

## Chapter 5.0

## **Analysis and Interpretations**


From the data on this worksheet it was possible to determine whether a county was surplus or deficit with respect to the corn equivalents needed to feed the livestock population. **Table A-4**, in the **Table Appendix** contains the county-by-county breakdown of corn equivalent consumption by the various livestock categories in bushels of corn.

The worksheet **SBMpile**, referring to the feed requirements for each category of livestock in each county, compiles the soybean meal by multiplying the dietary requirement by the number of animals in each category for each county (as determined in **Eaters**). This process allowed for the production of tables like those produced for **CornBarPile**, which in this case, identify the amounts of soybean meal consumed by the major categories in each county. The figures are expressed in tons in **Table A-5**, contained in the **Table Appendix**. From this data, **Map B-3** in the **Map Appendix** was derived. The worksheet **Oatspile** offered the same opportunities for analysis, but the situation was simpler with beef calves below 500 pounds as the only consumers of oats.

The worksheet **NetGrTraf**, which refers to "net grain traffic", repeats the production data from **Grainprod**, but then it subtracts the amounts of grain (corn, oats, and barley) eaten by the livestock in the county to determine the net grain traffic. This figure may be positive or negative, indicating either exports of grains and oilseeds or else the import of feeds. To adjust for size of counties, the figure "Tons of Grain Leaving County" was divided by the number of square miles in farms to gain a sense of the intensity of road use. This variable is mapped in **Map B-5**. In addition, work was carried out in this table to determine the values of grain and oilseeds with such variables as "Value of Grain Production", "Value of Grain Consumed" and "Value of Net Exports" or (Imports). These figures are compiled in **Table A-7**, contained in the **Table Appendix**. Additionally, it was interesting to learn the percent of county production leaving the county in each case.

Map B-1., which is contained in the Map Appendix (B), shows that the livestock of Martin County consume the greatest amount of corn of any county in the state, with larger Stearns County just behind, both feeding over twenty million bushels of corn. In contrast, 29 counties (primarily in the northern half of the state or in the metro area) feed less than one million bushels of corn or its equivalent. Figure 5.1 below shows the consumption of corn by the four major livestock classes in the state.


Figure 5.1



Map B-2, contained in the Map Appendix, shows the amounts of corn available to be shipped out of each county after meeting its feed requirement (exportable surplus) or the amount that must be imported (feed deficit) into the county. Seventeen northern counties plus Ramsey County in the metro area, have feed deficits. The largest deficit occurs in Becker County, whose livestock population requires the import of 2,438,000 bushels of corn to fulfill the needs of the local livestock. Other counties with high corn imports include the following: Roseau (2,101,954), Todd (2,096,622), Red Lake (2,040,289) and Morrison (1,905,263). Although not shown on the map, the following counties utilize the smallest percentages of their corn production in the feeding of livestock: Traverse (7%), Wilkin (9%), Faribault (9%), and Chippewa (10%).

Besides livestock consumption, large portions of the Minnesota corn crop are processed and exported from the state. **Figure 5.2** displays our estimate of the disposition of Minnesota 1999 corn crop of 990 million bushels. Industrial uses of corn represented by ethanol and sweetener production used 132.5 million bushels of corn, or 13% of the 1999 corn crop, while livestock consumed 390 million bushels, or 39% of the 1999 corn crop. Although industrial processing enterprises have received much publicity in recent years, the consumption of grain by Minnesota livestock remains the dominant value-added activity in the use of grains. One hundred forty million bushels of corn were transported by rail to Pacific Northwest ports for export to Pacific Rim Countries. Approximately 200 million bushels were shipped by barge from the Twin Cities and Winona primarily for export from Gulf Ports, while 40 million bushels were exported by ship from Duluth-Superior. Ninety million bushels went all over North America, primarily by rail to destinations such as Mexico, the Southwest feed market, the Southeast feed market and out of state corn processors.<sup>30</sup>

Figure 5.2




By 2002 the destination patterns for Minnesota corn can be expected to change in several ways. Foremost is the dramatic expansion of ethanol production in the state that is occurring as a result of the ban on the use of the chemical MTBE as an oxygenate of gasoline in certain domestic markets. Figures supplied by the Minnesota Department of Agriculture identify a 40 percent expansion in this activity to occur between June 2001 and the end of 2002.<sup>31</sup> The share of the corn crop consumed by Minnesota livestock can be considered stable; however, more plentiful supplies of distillers dried grain and solubles (DDGS) may induce livestock producers to feed more of this feed and less corn and soybean meal. Further growth in corn movements to the Pacific Northwest and Mexico will also occur, primarily at the expense of the shares destined for Duluth-Superior, and the Mississippi River.

Map B- 3, contained in the Map Appendix, portrays the tonnages of soybean meal required by resident livestock in each of the counties. From the map one can observe that 45 counties consume less than 20,000 tons of soybean meal each year. However, four counties (Martin, Kandiyohi, Stearns and Morrison) consume from 80,000 to 156,000 tons, which would have required the meal produced from 3,800,000 to 6,500,000 bushels of soybeans. Martin County is the top hog-producing county in the state, while the counties of Kandiyohi, Stearns, and Morrison are major poultry producers. Stearns and Morrison are also major dairy counties.


**Figure 5.3** portrays the quantities of soybean meal that are consumed by each of our four livestock categories. Minnesota livestock consumed the soybean meal produced from 97 million bushels of soybeans, or 34 % of the 1999 Minnesota crop. Of the soybean meal eaten by poultry, turkeys eat 78% following by laying hens (14 percent) and broilers (8 percent).

Figure 5.3



**Figure 5.4,** which follows, allows a detailed comparison of corn and soybean meal consumption levels among livestock species. Note that laying hens consumed more soybean meal than beef cattle in 1999.

Figure 5.4




Soybeans are typically transported from counties of production to large, industrial plants where, after processing, oil and protein meal are separated from the raw soybeans. Each sixty pound bushel of soybeans typically yields 47.5 lb. of soybean meal (80% by weight) and 11 lb of soy oil. After soybean crushing and feed formulation and pelleting, soybean meal is transported to the counties with livestock that need it in their rations.

**Figure 5.5** shows our estimate of the disposition of the 1999 Minnesota soybean crop of 283 million bushels. Minnesota soybean crushers have the capacity to crush 102 million bushels of soybeans. <sup>32</sup> Our calculations determined that 97 million bushels would be necessary to provide the meal being fed in the state, as shown on **Map B-3**. Forty-five million bushels were exported by vessel from Duluth-Superior, while 65 million bushels were shipped by barge down the Mississippi River, primarily for export from Gulf Ports. Over 13 million bushels were shipped by rail to the Pacific Northwest

for export. The remaining 60 plus million bushels traveled primarily by rail to processors in the United States and Mexico. <sup>33</sup>

Figure 5.5



A new soybean crushing plant may be built by a cooperative at Brewster, Minnesota, providing sufficient stock can be sold. If this plant is built, the share of Minnesota soybeans crushed in the state will increase. It is unknown whether livestock numbers to eat the meal will continue to expand. Proposals to produce biodiesel from the oil component of the crushed soybeans should not affect the need for more soybean crushing capacity, for there are ample supplies of soybean oil in the state at current crushing levels.

After reducing county-level grain production by the amounts of corn, barley, and oats consumed by local livestock, one can determine the tonnage of grain and oilseeds requiring transport to processing plants (ethanol, sweeteners, and soy products) as well as to export channels. These figures are expressed in tons and help identify areas of the state where roads and railroads receive the heaviest freight volumes as grain leaves the respective counties. This data is portrayed in **Map B-4**.

Map B-5 is related to Map B-4, starting with the tonnages of grain and oilseeds to be moved out of the counties. In the case of Map B-5, the grain and oilseed tonnage figures are then divided by the square miles of farms in each county. For example, Watonwan County will likely export 577,913 tons of grain and oilseeds from its 400 square miles of farms, or 1,445 Tons per square mile of farms, as noted on Table A-6, contained in the Table Appendix.

**Table A-7**, in the **Table Appendix**, adds another layer of meaning to the production, consumption, and movement of grain and oilseeds. This table offers information on the value of the crops produced in 1999, the value of the amounts of corn, barley, and oats consumed by livestock, and also the value of the grain exports leaving each county.


# Chapter 6.0

#### **Summary**

Efforts to quantify and understand the dynamics of livestock consumption of Minnesota produced grains require tenacity, rigor, and the assistance of knowledgeable animals scientists. The intricacies of retaining adequate numbers of young stock to maintain breeding herds and flocks were challenges necessitated by the lack of data about certain animal categories. In this paper a methodology utilizing linked spreadsheets in an Excel workbook was adopted in order to produce verifiable results and managing assumptions. Numerous tables, graphs, and maps were generated in order to express volumes of crops in bushels, tons, and dollars of market value. What has been learned about the importance of livestock consumption of local crops in 1999? With respect to corn, this study identifies the consumption of 37% of the corn crop by livestock. In addition, 34% of the soybean crop is crushed to satisfy the dietary requirements of livestock residing in the state. Review of published data on soybean crushing reveals that current crush capacity is closely matched with the required total amount of soybean meal measured following numerous calculations in this study. A map was produced that visually demonstrates the surplus and deficit counties with respect to the production and usage of corn and barley. There are also areas of the state with excellent production of grains and oilseeds that have minor livestock populations to utilize feed grains. We know that in some cases there is utilization of distillers dried grains and solubles (DDGS) by turkeys, swine, dairy, and beef cattle. However, we have learned from trade sources that the majority of the DDGS produced by Minnesota ethanol plants is dried and shipped out of the state to be fed to livestock in other states.

Further work is underway to refine data on the movement patterns of grain by modes of transportation including trucks, unit trains, and river barges. However, accounting for local patterns of grain and feed consumption is crucial to understanding the volumes of typical Minnesota grain production destined to fulfill needs for human food, livestock feed, and industrial uses beyond Minnesota's borders.

# **End Notes**



<sup>23</sup> <u>Ibid.</u>

<sup>24</sup> Interview: Dr. Sally Noll. Department of Animal Science, University of Minnesota, December 2000.

25 Ibid.

<sup>26</sup> Ibid.

<sup>27</sup> <u>Ibid.</u>

28 Ibid.

Frank B. Morrison, <u>Feeds and Feeding, Abridged</u>. Ninth Edition, 1961. Morrison Publishing Company. pp. 295.

- Jerry Fruin and Douglas G. Tiffany. "Where Does Minnesota's Grain Crop Go? An Analysis of Minnesota Elevator Grain Shipments, 7/99-6/00," Staff Paper Series, University of Minnesota, Department of Applied Economics, September 2001.
- Interview: Ralph Groschen. Minnesota Department of Agriculture, Marketing Division. Interview Sept. 14, 2001.
- Robert W. Carlson, "Opportunities for Value-Added Utilization of Oilseeds and Oilseed Products in Minnesota," Agricultural Utilization and Research Institute, Marshall, MN, September 2000. p. 28.
- <sup>33</sup> <u>Ibid</u>. Fruin and Tiffany.

# APPENDIX A TABLES

TABLE A-1
1999 MINNESOTA GRAIN AND OILSEED PRODUCTION BY COUNTY (BU)

COUNTY & DISTRICT	CORN F/GR.	SOYBEANS	OATS	BARLEY	RYE	WHEAT	FLAX	SUNFLWR
Test Weight/Bushel	56	60	32	48	56	60	56	(24)Pounds/BU
BECKER	1,015,200	1,593,000	339,700	91,000	0	2,417,000	0	2,595,000
CLAY	4,284,000	4,219,400	268,000	550,800	0	7,329,900	0	25,820,000
CLEARWATER	145,500	61,600	159,100	84,000	0	141,400	0	1,430,000
KITTSON	457,500	861,300	261,000	1,259,600	42,900	7,918,400	160,000	13,735,000
MAHNOMEN	581,400	1,055,700	79,200	156,000	0	1,508,100	0	2,650,000
MARSHALL	309,600	1,214,400	112,200	820,800	25,200	5,841,500	36,000	8,885,000
NORMAN	2,120,400	3,625,000	124,800	634,800	0	7,455,900	0	20,925,000
PENNINGTON	152,000	437,500	165,600	140,400	0	1,077,800	0	4,735,000
POLK	3,355,000	5,286,700	324,800	841,800	0	13,416,900	. 0	26,405,000
RED LAKE	346,500	1,155,000	259,600	255,000	0	1,685,000	0	6,530,000
ROSEAU	68,200	48,000	156,400	245,000	0	1,983,600	15,200	4,335,000
D10 COMBINED COUNTIES	0	0	0	0	66,100	0	66,500	0.,000,000
D10 NORTHWEST	12,835,300	19,557,600	2,250,400	5,079,200	134,200	50,775,500	277,700	118,045,000
BELTRAMI	9,000	0	171,600	30,800	0	105,200	0	0
CASS	197,200	0	38,400	0	0	0	0	0
HUBBARD	1,377,500	0	92,400	0	0	27,600	0	0
ITASCA	0	0	62,400	0	0	0	0	0
KOOCHICHING	0	0	22,200	0	0	0	0	0
LAKE OF THE WOODS	0	0	19,800	0	0	132,800	0	0
D20 COMBINED COUNTIES	10,700	0	0	39,200	0	15,800	0	905,000
D20 NORTH CENTRAL	1,594,400	0	406,800	70,000	0	281,400	0	905,000
СООК	0	0		0	0	0	•	
LAKE	0	0		0	0	0	0	0
ST. LOUIS	0	0	67,200	0	0	0	0	0
<b>D30 COMBINED COUNTIES</b>	8,500	0	o₁, <b>∠</b> 00	9,300	0	0	0	0
D30 NORTHEAST	8,500	0	67,200	9,300	0	4,600 4,600	0	0

1

TABLE A-1

COUNTY & DISTRICT	CORN F/GR.	SOYBEANS	OATS	BARLEY	RYE	WHEAT	FLAX	SUNFLWR
Test Weight/Bushel	56	60	32	48	56	60	56	(24)Pounds/BU
BIG STONE	9,716,100	4,449,800	0	0	0	4 004 500		
CHIPPEWA	23,522,200	5,940,000	75,000	0	0	1,861,500		0 0
DOUGLAS	4,912,500	2,412,000	455,400	•	0	204,000		0 0
GRANT	8,011,500	4,600,000	455,400	112,500	0	920,100		0 0
LAC QUI PARLE	21,598,200	7,187,700	0	146,200	0	3,600,000		0 0
OTTER TAIL	16,118,400	4,040,000	1,555,500	0	0	728,900		0 0
POPE	12,684,000	3,645,600	•	281,600	17,500	3,229,200		0 9,005,000
STEVENS	19,002,600	5,520,000	262,200	. 0	0	676,200		0 0
SWIFT	23,392,600		0	. 0	0	1,403,500		0 0
TRAVERSE	•	6,372,000	113,600	0	0	381,300		0 0
WILKIN	12,637,800	5,413,200	0	156,000	0	3,289,100		0 0
YELLOW MEDICINE	5,133,800	4,985,600	58,500	582,400	0	7,921,900		0 23,270,000
	25,929,600	7,980,000	81,000	0	0	553,400	ı	0 0
D40 COMBINED COUNTIES	=	0	157,000	122,700	10,900	0		0 3,140,000
D40 WEST CENTRAL	182,659,300	62,545,900	2,758,200	1,401,400	28,400	24,769,100		0 35,415,000
DENTON			•			·		
BENTON	6,695,000	760,500	279,000	78,200	55,800	0		0 0
CARVER	8,468,600	2,023,700	171,600	0	0	66,000		0
KANDIYOHI	21,772,800	5,359,500	262,300	0	0	302,400		0 0
MCLEOD	15,889,500	4,483,800	240,000	0	0	174,800		0 0
MEEKER	15,302,700	4,863,600	214,500	55,200	0	213,200		0 0
MORRISON	9,410,700	452,400	592,200	107,500	105,600	39,100		0 2,100,000
RENVILLE	40,729,600	11,233,200	0	0	0	196,700		0 0
SCOTT	5,636,400	1,440,600	130,000	0	0	0		0 0
SHERBURNE	3,729,600	410,400	0	0	62,100	0		0 0
SIBLEY	20,451,000	6,142,900	134,900	0	0	109,700		0 0
STEARNS	20,560,500	3,620,300	1,995,000	330,000	84,000	166,400		0 0
TODD	5,247,000	824,600	756,000	189,200	57,800	223,800		0 5,120,000
WADENA	1,642,800	66,500	279,000	61,500	0	0		0 3,120,000
WRIGHT	9,478,000	2,986,200	226,200	40,800	0	122,100		0 0 0
D50 COMBINED COUNTIES	0	0	139,200	106,300	23,200	100,200		•
D50 CENTRAL	185,014,200	44,668,200	5,419,900	968,700	388,500	1,714,400		000,000
		• •	, -,		000,000	1,7 17,400	'	7,915,000

1

**TABLE A-1** 

COUNTY & DISTRICT	CORN F/GR.	SOYBEANS	OATS	BARLEY	RYE	WHEAT	FLAX	SUNFLWR
Test Weight/Bushel	56	60	32	48	56	60	56	(24)Pounds/BL
AITKIN	20,000	0	0	0	. 0	0		0 0
ANOKA	924,000	169,200	0	0	49,500	0		0
CARLTON	·	. 0	0	0	40,000	0		0 (
CHISAGO	2,702,200	758,200	73,500	0	0	0		0
CROW WING	490,000	0	104,400	0	0	0		0 0
HENNEPIN	2,323,200	592,000	53,000	0	0	0		0 0
SANTI	4,012,000	953,600	55,900	0	64,400	41,800		
KANABEC	1,649,700	234,000	118,800	0	04,400	40,900		0 0
MILLE LACS	2,334,500	345,600	81,700	0	0	40,900		0 0
PINE	1,447,200	245,000	180,200	0	0	0		0 0
RAMSEY		0	0	. 0	0	0		0 0
WASHINGTON	2,970,000	676,200	82,800	0	0	0		0 0
060 COMBINED COUNTIES	22,800	16,000	45,900	125,000	52,400	125 600		0 (
060 EAST CENTRAL	18,895,600	3,989,800	796,200	125,000	166,300	135,600		0 (
	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	-,,	100,200	123,000	100,300	218,300		0 (
COTTONWOOD	26,377,200	7,236,600	0	0	0	0		0 0
IACKSON	26,610,400	7,380,000	0	0	0	0		0
INCOLN	11,200,500	3,873,900	207,200	0	0	384,000		
_YON	24,336,000	7,333,200	136,800	0	0	222,600		
MURRAY	25,300,200	7,484,400	290,400	0	0	0		2
NOBLES	27,341,600	7,996,800	200,100	0	0	0		0
PIPESTONE	11,920,500	4,415,700	224,000	134,000	0	0		0
REDWOOD	37,310,700	10,251,000	98,400	0	0	153,700		0
ROCK	18,329,400	5,904,000	180,600	0	0	0		
070 COMBINED COUNTIES	0	0	126,800	152,900	0	138,300		0
070 SOUTHWEST	208,726,500	61,875,600	1,464,300	286,900	0	898,600		0 0

<u>-</u>3

**TABLE A-1** 

COUNTY & DISTRICT	CORN F/GR.	SOYBEANS	OATS	BARLEY	RYE	WHEAT	FLAX	SUNFLWR
Test Weight/Bushel	56	60	32	48	56	60	56	(24)Pounds/BU
BLUE EARTH	27,867,500	7,845,200	0	0	0	0	0	
BROWN	23,149,800	6,168,800	223,200	0	0	88,800	0	(
FARIBAULT	29,159,300	7,156,800	0	0	0	00,000	0	(
FREEBORN	25,396,800	6,360,000	117,800	0	0	0	0	(
LE SUEUR	12,945,000	3,740,000	92,400	0	0	75,200	0	0
MARTIN	32,802,000	7,921,200	115,200	0	0	73,200	0	0
NICOLLET	17,958,000	5,030,400	161,700	0	0	62,100	0	0
RICE	12,489,400	3,092,600	179,200	0	0	02,100	0	(
STEELE	14,786,200	3,859,800	120,000	0	0	0	0	Ç
WASECA	17,771,600	4,488,000	51,300	0	0	0	0	(
WATONWAN	19,690,300	5,086,900	0	0	0	0	0	(
<b>D80 COMBINED COUNTIES</b>	0	. 0	151,800	75,300	0	163,300	, 0	(
D80 SOUTH CENTRAL	234,015,900	60,749,700	1,212,600	75,300	0	389,400	0	(
DAKOTA	13,213,200	3,005,200	95,200	0	0	56,500	0	,
DODGE	16,106,700	3,990,400	121,600	0	0	0,300	0	(
FILLMORE	22,466,700	4,518,000	665,000	113,400	0	0	0	(
GOODHUE	19,812,000	3,951,200	481,000	104,400	0	0	0	(
HOUSTON	9,486,000	1,214,400	291,400	45,600	0	0	0	(
MOWER	25,670,000	7,056,000	186,300	0	0	0	0	(
OLMSTED	15,996,000	3,136,500	384,400	0	0	0	0	(
WABASHA	11,801,200	1,670,400	542,700	61,200	0	0	0	(
WINONA	11,698,500	950,400	556,800	66,300	0	0	0	(
D90 COMBINED COUNTIES	0	0	0	53,300	0	102,200	0	(
D90 SOUTHEAST	146,250,300	29,492,500	3,324,400	444,200	0	158,700	0	. (
D98 COMBINED COUNTIES	0	20,700	0	0	57,600	0	20.000	070.00
D98 COMBINED DISTRICTS	0	20,700	0	0	57,600 57,600	0 0	22,300 22,300	970,000 970,000
STATE TOTAL	990,000,000	282,900,000	17,700,000	8,460,000	775,000	79,210,000	300,000	163,250,000

TABLE A-2
1999 MINNESOTA GRAIN AND OILSEED PRODUCTION BY COUNTY (TONS)

COUNTY & DISTRICT	Corn F/GR	Soybeans	OATS	BARLEY	RYE	WHEAT	FLAX	SUNFLW	Total Grain Prod.
	Tons	Tons	Tons	Tons	Tons	Tons	Tons	Tons	Tons
BECKER	28,426	47,790	5,435	2,184	0	72,510	0	1,298	157,642
CLAY	119,952	126,582	4,288	13,219	0	219,897	0	12,910	•
CLEARWATER	4,074	1,848	2,546	2,016	0	4,242	0	715	15,441
KITTSON	12,810	25,839	4,176	30,230	1,201	237,552	4.480	6,868	323,156
MAHNOMEN	16,279	31,671	1,267	3,744	. 0	45,243	0	1,325	99,529
MARSHALL	8,669	36,432	1,795	19,699	706	175,245	1,008	4,443	247,996
NORMAN	59,371	108,750	1,997	15,235	0	223,677	0	10,463	419,493
PENNINGTON	4,256	13,125	2,650	3,370	0	32,334	0	2,368	58,102
POLK	93,940	158,601	5,197	20,203	0	402,507	0	13,203	693,651
RED LAKE	9,702	34,650	4,154	6,120	0	50,550	0	3,265	108,441
ROSEAU	1,910	1,440	2,502	5,880	0	59,508	426	2,168	73,833
D10 COMBINED COUNTIES	0	0	0	0	1,851	0	1,862	0	3,713
D10 NORTHWEST	359,388	586,728	36,006	121,901	3,758	1,523,265	7,776	59,023	2,697,844
BELTRAMI	252	0	2,746	739	0	3,156	0	0	6 902
CASS	5,522	0	614	0	0	0,100	0	0	-,
HUBBARD	38,570	0	1,478	0	0	828	0	0	6,136
ITASCA	0	0	998	0	0	020	0	0	40,876
KOOCHICHING	0	0	355	0	0	0	0	0	998
LAKE OF THE WOODS	0	0	317	0	0	3,984	0	0	355
D20 COMBINED COUNTIES	300	0	0	941	0	474	0	453	4,301
D20 NORTH CENTRAL	44,643	0	6,509	1,680	0	8,442	0	453	2,167 <b>61,727</b>
СООК	•	•	_			•			51,121
LAKE	0	0	0	0	0	0	0	0	0
ST. LOUIS	0	0	0	0	0	. 0	0	0	0
	0	0	1,075	0	0	0	0	0	1,075
D30 COMBINED COUNTIES	238	0	0	223	0	138	0	0	599
D30 NORTHEAST	238	0	1,075	223	0	138	0	0	1,674

**TABLE A-2** 

COUNTY & DISTRICT	Corn F/GR	Soybeans	OATS	<b>BARLEY</b>	RYE	WHEAT	FLAX	SUNFLW	Total Grain Prod.
	Tons	Tons	Tons	Tons	Tons	Tons	Tons	Tons	Tons
BIG STONE	272,051	133,494	0	0	0	55,845	0	0	404.000
CHIPPEWA	658,622	178,200	1,200	0	0	6,120		_	,
DOUGLAS	137,550	72,360	7,286	2,700	0	•	0	0	,
GRANT	224,322	138,000	0 ,200	•	0	27,603	0	0	
LAC QUI PARLE	604,750	215,631	0	3,309		108,000	0	0	,
OTTER TAIL	451,315	121,200	24,888		0	21,867	0	0	842,248
POPE	355,152	109,368	4,195	6,758	490	96,876	0	4,503	706,030
STEVENS	532,073	165,600	4,195	0	0	20,286	0	0	489,001
SWIFT	654,993	191,160	1,818	0	0	42,105	0	0	739,778
TRAVERSE	353,858	162,396	0 1,010	2744	0	11,439	0	0	859,409
WILKIN	143,746	149,568	936		0	98,673	0	0	618,671
YELLOW MEDICINE	726,029	239,400	1,296	13,978	0	237,657	0	11,635	557,520
D40 COMBINED COUNTIES	0	239,400	<u>-</u>	0	0	16,602	0	0	983,327
D40 WEST CENTRAL	5,114,460	1,876,377	2,512	2,945	305	0	0	1,570	7,332
o in the original controls	3,114,400	1,070,377	44,131	33,634	795	743,073	0	17,708	7,830,178
BENTON	187,460	22,815	4,464	4 077	4.500	_			
CARVER	237,121	60,711	•	1,877	1,562	0	0	0	218,178
KANDIYOHI	609,638	160,785	2,746	0	0	1,980	0	0	302,557
MCLEOD	444,906	•	4,197	0	0	9,072	0	0	783,692
MEEKER	•	134,514	3,840	0	0	5,244	0	0	588,504
MORRISON	428,476	145,908	3,432	1,325	0	6,396	0	0	585,536
RENVILLE	263,500	13,572	9,475	2,580	2,957	1,173	0	1,050	294,307
SCOTT	1,140,429	336,996	0	0	0	5,901	0	0	1,483,326
SHERBURNE	157,819	43,218	2,080	0	0	0	0	0	203,117
SIBLEY	104,429	12,312	0	0	1,739	0	0	0	118,480
STEARNS	572,628	184,287	2,158	0	0	3,291	0	0	762,364
	575,694	108,609	31,920	7,920	2,352	4,992	0	0	731,487
TODD	146,916	24,738	12,096	4,541	1,618	6,714	0	2,560	199,183
WADENA	45,998	1,995	4,464	1,476	0	0	0	. 0	53,933
WRIGHT	265,384	89,586	3,619	979	0	3,663	0	0	363,231
D50 COMBINED COUNTIES	0	0	2,227	2,551	650	3,006	0	348	8,782
D50 CENTRAL	5,180,398	1,340,046	86,718	23,249	10,878	51,432	0	3,958	6,696,678

16

**TABLE A-2** 

COUNTY & DISTRICT	Corn F/GR	Soybeans	OATS	BARLEY	RYE	WHEAT	FLAX	SUNFLW	Total Grain Prod.
	Tons	Tons	Tons	Tons	Tons	Tons	Tons	Tons	Tons
AITKIN	560	0	0	0	0	0	0	0	560
ANOKA	25,872	5,076	0	0	1,386	0	0	0	
CARLTON	0	0	0	0	0	0	0	0	02,007
CHISAGO	75,662	22,746	1,176	0	0	0	0	0	J
CROW WING	13,720	. 0	1,670	0	0	0	0	0	,
HENNEPIN	65,050	17,760	848	0	0	0	0	0	10,000
ISANTI	112,336	28,608	894	0	1,803	1,254	0	0	55,555
KANABEC	46,192	7,020	1,901	0	0	1,227	0	0	,
MILLE LACS	65,366	10,368	1,307	0	0	0	0	0	,
PINE	40,522	7,350	2,883	0	0	0	0	0	11,011
RAMSEY	0	· O	0	0	0	0	0	0	00,700
WASHINGTON	83,160	20,286	1,325	0	0	0	0	0	•
<b>D60 COMBINED COUNTIES</b>	638	480	734	3,000	1,467	4,068	0	0	101,171
D60 EAST CENTRAL	529,077	119,694	12,739	3,000	4,656	6, <b>549</b>	0	0	,
	ŕ	,	12,100	0,000	4,000	0,545	U		675,715
COTTONWOOD	738,562	217,098	. 0	0	0	0	0	0	055,000
JACKSON	745,091	221,400	0	0	0	0	0		,
LINCOLN	313,614	116,217	3,315	0	0	11,520	0	0	,
LYON	681,408	219,996	2,189	0	0	6,678	_	0	111,000
MURRAY	708,406	224,532	4,646	0	0	0,078	0	0	,
NOBLES	765,565	239,904	3,202	0	0	, -	_	0	,
PIPESTONE	333,774	132,471	3,584	3,216	0	0	0	0	.,,
REDWOOD	1,044,700	307,530	1,574	0,210	. 0	_	0	0	,
ROCK	513,223	177,120	2,890	0	_	4,611	0	0	.,,
<b>D70 COMBINED COUNTIES</b>	0 10,220	0	2,030	3,670	0	0	0	0	,
D70 SOUTHWEST	5,844,342	1,856,268	23,429	•	0	4,149	0	0	0,011
	5,044,542	1,030,200	23,429	6,886	0	26,958	0	0	7,757,882

Α̈́ – /

**TABLE A-2** 

COUNTY & DISTRICT	Corn F/GR	Soybeans	OATS	BARLEY	RYE	WHEAT	FLAX	SUNFLW	Total Grain Prod.
	Tons	Tons	Tons	Tons	Tons	Tons	Tons	Tons	Tons
BLUE EARTH	780,290	235,356	0	0	0	0	0	0	1,015,646
BROWN	648,194	185,064	3,571	0	0	2,664	0	0	.,,
FARIBAULT	816,460	214,704	. 0	0	0	_,;;;	0	0	,
FREEBORN	711,110	190,800	1,885	0	0	0	0	0	· · · · · · · · · · · · · · · · · · ·
LE SUEUR	362,460	112,200	1,478	0	0	2,256	0	0	,
MARTIN	918,456	237,636	1,843	0	0	0	0	0	,
NICOLLET	502,824	150,912	2,587	0	0	1,863	0	0	, ,
RICE	349,703	92,778	2,867	0	0	0	0	0	,
STEELE	414,014	115,794	1,920	0	0	0	0	0	,
WASECA	497,605	134,640	821	0	0	0	0	0	,
WATONWAN	551,328	152,607	0	0	0	0	0	0	,
<b>D80 COMBINED COUNTIES</b>	0	0	2,429	1,807	0	4,899	0	0	
D80 SOUTH CENTRAL	6,552,445	1,822,491	19,402	1,807	0	11,682	0	0	-,
<b>-</b>									, ,
DAKOTA	369,970	90,156	1,523	0	0	1,695	0	0	463,344
DODGE	450,988	119,712	1,946	0	0	0	0	0	•
FILLMORE	629,068	135,540	10,640	2,722	0	0	0	0	, - • -
GOODHUE	554,736	118,536	7,696	2,506	0	0	0	0	,
HOUSTON	265,608	36,432	4,662	1,094	0	0	0	0	,
MOWER	718,760	211,680	2,981	0	0	0	0	0	,
OLMSTED	447,888	94,095	6,150	0	0	0	0	0	,
WABASHA	330,434	50,112	8,683	1,469	0	0	0	0	- 1-,100
WINONA	327,558	28,512	8,909	1,591	0	0	0	0	,
D90 COMBINED COUNTIES	. 0	0	0	1,279	0	3,066	0	0	1
D90 SOUTHEAST	4,095,008	884,775	53,190	10,661	0	4,761	0	0	.,
D98 COMBINED COUNTIES	0	621	0	0	1 640	•			
D98 COMBINED DISTRICTS	0	621	0	0	1,613	0	624	485	3,343
	U	021	U	0	1,613	0	624	485	3,343
STATE TOTAL	27,720,000	8,487,000	283,200	203,040	21,700	2,376,300	8,400	81,625	39,181,265

**TABLE A-3** 

	Α	В	С	D	E	F	G	н	i	J
		All Cattle (Jan 1 Census)	1999 Dairy Cows 1300#	Replacmt Dairy Heifers 500-1300#	Dairy Herd Bulls .5corn,.4S BM	Growing Replace- ment Dairy Bulls 500-1500#	Dairy Calves Weaned, Raised Per Year	Source of Dairy Beef Feeders (DIVVY)	Beef Cows	Replaceme nt Beef Heifers 500-800 #
	Corn Soybean Meal Oats		5824 1700	2400 1000	2912 680	2400 1000	750 350		450 50	300 0
A	BECKER	37,000	9,600	6,854	143	72	9,270	4,635	8,000	1,600
9	CLAY	18,500	2,600	1,856	39	19	2,511	1,255	4,500	•
	CLEARWATER	25,600	1,600	1,142	24	12	1,545	772	10,000	
	KITTSON	12,500	1,300	928	19	10	1,255		5,500	•
	MAHNOMEN	13,200	2,100	1,499	31	16	2,028	1,014	3,000	•
	MARSHALL	17,100	1,900	1,357	28	14	1,835	917	5,500	
	NORMAN	11,800	2,100	1,499	31	16	2,028	1,014	3,000	•
	PENNINGTON POLK	8,800	1,100	785	16	8	1,062	531	3,500	
	RED LAKE	28,800	3,600	2,570	54	27	3,476	1,738	9,000	
	ROSEAU	12,700	1,400	1,000	21	10	1,352	676	4,500	•
	NOSLAU	28,000	3,500	2,499	52	26	3,380	1,690	9,000	1,800

**TABLE A-3** 

	K	L	M	N	0	Р	Q	R	S	Т	U	V
	Replmt. Beef Heifers (12-24) mo.	Beef Bulls Yearlings	Growing Replacemt Beef Bulls >500 lb.	MN ORIG. Beef Calves		Net Poss. Feeders on Farms f/Census (Calves&Ye arlings)	Derived MN Dairy&BF Feeders	Net Imp./Exp. of Feeders Evident	Net Feeders Importd. to Counties fr. MN and Elsewhere	Factor of Net Imports		Destination Counties: MN Born Beef Feeders
	800-1300	1300-2000	500-1300	80-500#								
	0 0	2912 680	2400 1000	185 0 374							8223 144	4192 110
A	1,600	446	223	8,160	6,337	5,715	10,972	(5,256)		0.000000	2,414	3,301
10	900	251	126	4,590	3,564	6,565	4,820		1,745		,	3,564
	2,000	558	279	10,200	7,921	7,527	8,693	` ' '		0.000000		6,858
	1,100	307	153	5,610	4,357	1,711	4,984	• • •		0.000000	215	
	600	167	84	3,060	2,376	•	3,390	•	1,112	0.003278	1,014	2,376
	1,100 600	307	153	5,610	4,357	5,097	5,274	, ,		0.000000	887	4,211
	700	167 195	84	3,060	2,376	•		, ,		0.000000	928	2,174
	1,800	502	98	3,570	2,772	•	3,303	(1,921)		0.000000	222	1,160
	900	251	251	9,180	7,129	8,166	· · · · · · · · · · · · · · · · · · ·	(701)		0.000000	1,601	6,565
	1,800	502	126	4,590	3,564	3,192	4,240	,		0.000000		2,683
	1,000	302	251	9,180	7,129	7,568	8,819	(1,250)		0.000000	1,450	6,118

**TABLE A-3** 

	W	X	Υ	Z	AA	АВ	AC	AD	AE	AF	AG	АН
	Feeders Necessary to Meet Inventory	Divvy Left- over MN Dairy Beef	Divvy Left- Over MN Beef	Imported Beef Calves	Imported Beef Yearlings 180 days	Imported Phantom Beef Yearlings	Breeding Sheep and Lambs	Ewes 165 day lactation, &Rams	Creep Lambs for 52 days	Replacmnt Ewes@ 18% of ewe flock, 75 days	GR & Fin lambs 90 days	Imported Feeder Lambs
		8223 144	500-1200# 4192 110	500-1200# .6 feeders 4192 110	700-1280# .4 feeders 3480 65	700-1280# .4 feeders 3480 65		160# .81*q <b>330</b> <b>29</b>	25-60# 1.30X ewe <b>50</b> <b>5.2</b>	60-100# .15X ewes 115.5 34.5	60-130# aa-ab <b>252</b> <b>36</b>	60-130# 252 36
A-	0	0	0	0	0	0	800	683	842	115	727	0
Ė	1,745	177	45	1,142	381	381	800		842	115	727	0
	0	_		0	0	0	1,100	939	1,158	158	1,000	0
	0	•		0	0	0	600	512		86	545	0
	1,112			728	243	243	100	85	105	14	91	0
	0	•	_	0	0	0	1,500	1,281	1,580	216	1,364	0
	0	•	_	0	0	0	100	85	105	14	91	0
	0	•	_	0	0	0	100	85	105	14	91	0
	0	•	•	0	0	0	800	683	842	115	727	0
	0	ū	•	0	0	0	900	769	948	130	818	0
	0	0	0	0	0	0	700	598	737	101	636	0

**TABLE A-3** 

	Al	AJ	AK	AL	AM	AN	AO	AP	AQ	AR	AS
	Divvy Imported Feeder Lambs	Statewide Tot. Sheep Proportion in "Corn Counties"	Sows and 7% Boars	Annual Farrowings	Ann. MN Pigs Savd.	MN Replacmt Gilts@ 45% Sow Herd	99 Hog & Pig Inventory	Net Annual County Balance Calc. F/ Finishing Hogs	Counties Feeding Out Hogs	Proport. of All Hogs Finished by "Feeding Counties"	Hogs Finished
			450#		15-45#	45-250#					45-250#
			1756 444		76.6 35.4	542 114					542 114
A	0			2,100	18,000	420	7,100	(1,495)	. 0	0	0
12	0		999	2,100	19,000	420	9,500	493	493	0.0004202	4,733
	0		48	100	750	20	500	135	135	0.00011498	1,295
	0		95	200	1,500	40	2,200	1,470	1,470	0.00125258	14,107
	0		143	300	2,500	60	3,000	1,802	1,802	0.00153536	17,292
	0		143	300	2,500	60	800	(398)	, –	0	0
	0		428	900	8,000	180	6,800	2,999	2,999	0.00255555	28,782
	0		95	200	1,500	40	1,100	370	370	0.00031517	3,550
	0		1,094	2,300	20,000	460	8,400	(1,131)		0	0,000
	0		48	100	750	20	600	235	235	0.0002002	2,255
	0		190	400	3,000	80	2,000	540	540	0.00045991	5,180

**TABLE A-3** 

AT	AU	AV	AW	AX	AY	AZ	ВА	ВВ	ВС	BD	BE
94 Layers Count	Layer Proport.	Laying Hens	Replacmt Layer Pullets (25%)	94 Broiler Counts	Broiler Proport.	Broilers	94 Turkey Counts	Turkey Proport.	Top 27 Turkey Counties	Derived Proport. Turkey Breeder Flock	Turkey Breeder Hens & 8%Toms wks 30-58
		56.21 12.05	24.09 4.2			5.6745 2.0807					82.6 18.88
103,000 700,000 193,000 200 300 200 500 1,100 800 40,000 300	0.058400 0.016102 0.000017 0.000025 0.000017 0.000042 0.000092 0.000067	714,820	26,295 178,705 49,272 51 77 51 128 281 204 10,212	0 800 212,000 0 400 500 2,800 1,200 0	0.000000 0.000024 0.006324 0.000000 0.000000 0.000012 0.000015 0.000084 0.000036 0.000000 0.000006	0 1,055 279,542 0 0 527 659 3,692 1,582 0 264	1,328,400 146,300 0 17,500 0 59,300 0 0 2,194,000 1,069,000	0.031275 0.003444 0.000000 0.000412 0.000000 0.001396 0.000000 0.000000 0.000000 0.051655 0.025168	1,328,400 2,194,000 1,069,000	0.033451 0.000000 0.000000 0.000000 0.000000 0.000000	18,064 0 0 0 0 0 0 0 29,834 14,536

TABLE A-3

	BF	BG	ВН	ВІ
	Turkey Replacmnt	Turkey	Turkey	Turkey
	. Hens &	Consumer	Heavy Hens	Heavy
	Toms	Hens 14#	22#	Toms, 36#
	wks 0-30	25%	25%	50%
	70	17.736	35.087	64.717
	16	8.258	16.546	27.165
>	33,599	340,119	340,119	680,238
-1	0	37,458	37,458	74,916
•	0	0	0	0
	0	4,481	4,481	8,961
	0	0	0	0
	0	15,183	15,183	30,366
	0	0	0	0
	0	0	0	0
	0	0	0	0
	55,492	561,744	561,744	1,123,489
	27,038	273,703	273,703	547,406

TABLE A-4
1999 Consumption of Corn Equivalents by Livestock Category and County

	County Total Corn Equivalents	Dairy Totals	Cow-Calf Totals	Beef Feeders	Sheep Totals	Swine Totals	Layer Totals	Broiler totals	Turkey Totals
	Bushels	Bushels	Bushels	Bushels	Bushels	Bushels	Bushels	Bushels	Bushels
BECKER	3,521,829	1,426,831	132,593	601,639	8,288	60,002	116,887	0	1,175,590
CLAY	2,106,223	386,433	74,583	613,350	8,288		•		
CLEARWATER	1,289,141	237,805	165,741	611,608	11,396	15,244	· •		
KITTSON	590,913	193,217	91,158	143,551	6,216	141,961	227		_
MAHNOMEN	969,180	312,119	49,722	430,123	1,036	175,839		_	•
MARSHALL	892,633	282,394	91,158	445,372	15,540	8,474		_	•
NORMAN	967,164	312,119	49,722	298,973	1,036	304,679			0
PENNINGTON	383,418	163,491	58,009	119,482	1,036		1,248		-
POLK	1,486,204	535,062	149,167	726,512	8,288	66,107	908		•
RED LAKE	2,579,100	208,079	74,583	275,569	9,324	24,533			•
ROSEAU D10 COMBINED COUNTIES	2,354,923	520,199	149,167	670,933	7,252	60,976	•	_	946,030
D10 NORTHWEST	17,140,726	4,577,749	1,085,604	4,937,111	77,701	1,004,767	1,179,534	29,114	4,249,145

TABLE A-4
1999 Consumption of Corn Equivalents by Livestock Category and County

	County Total Corn Equivalents	Dairy Totals	Cow-Calf Totals	Beef Feeders	Sheep Totals	Swine Totals	Layer Totals	Broiler totals	Turkey Totals
	Bushels	Bushels	Bushels	Bushels	Bushels	Bushels	Bushels	Bushels	Bushels
BELTRAMI	1,090,445	371,571	185,630	519,781	10,360	3,053	0	51	0
CASS	1,455,167	356,708	210,491	716,210	•	-,			-
HUBBARD	906,338	104,040	74,583	235,786	·			_	1
ITASCA	404,240	59,451	82,871	255,926		•	113	,	,
KOOCHICHING	163,017	29,726	46,407	81,065	•	•	0		•
LAKE OF THE WOODS	147,414	29,726	29,833	81,397	•		. 0		J
D20 COMBINED COUNTIES	S		•					_	J
D20 NORTH CENTRAL	4,166,621	951,221	629,816	1,890,165	35,225	108,477	1,924	151	549,644
соок	1,657	0	1,657	0	0	0	0	0	0
LAKE	15,848	0	1,657	3,865	_		0	_	•
ST. LOUIS	523,179	193,217	•	-	•	•	170	•	0
D30 COMBINED COUNTIES	S					-,	170	2-71	U
D30 NORTHEAST	540,685	193,217	66,296	259,834	6,216	14,711	170	241	0

TABLE A-4

1999 Consumption of Corn Equivalents by Livestock Category and County

	County Total Corn Equivalents	Dairy Totals	Cow-Calf Totals	Beef Feeders	Sheep Totals	Swine Totals	Layer Totals	Broiler totals	Turkey Totals
	Bushels	Bushels	Bushels	Bushels	Bushels	Bushels	Bushels	Bushels	Bushels
BIG STONE	1,784,386	178,354	38,120	292,000	4,144	1,127,531	56,741	0	87,496
CHIPPEWA	2,194,442	89,177	26,519	•	•	• •	•		,
DOUGLAS	2,589,540	1,634,910	61,324	•	•	• • • •	1,555		,
GRANT	1,247,690	252,668	21,546	•	•				•
LAC QUI PARLE	3,257,335	252,668	71,269	•	•	•	.,		0
OTTER TAIL	10,329,776	4,533,160	253,584	•		, ,			•
POPE	2,445,898	1,114,712		•		,	,	•	• • •
STEVENS	3,299,514	341,845		•	14,504	• • •		•	· _
SWIFT	3,025,970	356,708		890,175	•		•		0
TRAVERSE	709,660	14,863			•	•	_		1,057,535
WILKIN	512,319	148,628		•	1,036		_	•	0
YELLOW MEDICINE	5,417,863	•	•	909,411	18,648	,	,	_	55,215
<b>D40 COMBINED COUNTIES</b>	; , ,	, , , , ,	,	500,411	10,040	3,730,944	0	120	297,791
D40 WEST CENTRAL	36,814,393	9,274,400	795,557	9,059,523	150,223	12,134,605	1,122,873	17,049	4,260,163

TABLE A-4

1999 Consumption of Corn Equivalents by Livestock Category and County

	County Total Corn Equivalents	Dairy Totals	Cow-Calf Totals	Beef Feeders	Sheep	Surina Tatala	Layer	Broiler	Turkey
	Bushels	Bushels	Bushels	Bushels	Totals  Bushels	Swine Totals  Bushels		totals	Totals
				Dasiicis	Dusileis	Dusileis	Bushels	Bushels	Bushels
BENTON	4,501,990	2,065,932	66,296	489,319	5,180	688,863	384,478	801,921	0
CARVER	3,416,910	2,110,521	21,546	· ·	•	•	•	•	
KANDIYOHI	9,399,011	1,144,437	43,093	•	•	•	•	•	_
MCLEOD	3,324,700	1,501,145	34,806	1,251,208		• •	•		, ,
MEEKER	6,746,116	1,278,203	48,065	861,209		•	•	•	_
MORRISON	11,397,035	4,161,590	207,176	1,202,114	•	,			•
RENVILLE	7,264,181	431,022	21,546	2,074,448		•	• •	•	291,154
SCOTT	2,197,339	1,055,260	26,519	790,814	6,216		•		
SHERBURNE	1,759,821	267,531	24,861	409,607		•	•		•
SIBLEY	7,673,053	1,397,105	29,833		•	•	1,243,198	•	_
STEARNS	20,938,725	9,318,989	149,167	5,112,740		•	831,484		
TODD	7,486,309	3,284,683	164,084	1,235,199	•	•	•		2,451,535
WADENA	2,687,891	862,044	77,898	715,337	12,432	•	3,972		
WRIGHT	4,558,760	2,125,383	54,695	1,503,740		•	136,406		
D50 COMBINED COUNTIES				·	,	333,000	.00,100	10,000	702,040
D50 CENTRAL	93,351,842	31,003,845	969,585	18,357,413	227,052	11,374,900	8,343,293	4,173,691	18,902,063

100

TABLE A-4
1999 Consumption of Corn Equivalents by Livestock Category and County

	County Total								
	Corn Equivalents	Dairy Totals	Cow-Calf Totals	Beef Feeders	Sheep Totals	Swine Totals	Layer Totals	Broiler totals	Turkey Totals
	Bushels	Bushels	Bushels	Bushels	Bushels	Bushels	Bushels	Bushels	Bushels
AITKIN	953,689	208,079	91,158	288,087	6,216	2,711	0	. 0	357,438
ANOKA	888,032	74,314	13,259	85,392		•		_	•
CARLTON	577,766	341,845	58,009		•	•			
CHISAGO	976,057	490,473	44,750	308,330		•			.,
CROW WING	968,450	312,119	107,732	356,244		•	•		_
HENNEPIN	964,217	401,296	16,574	339,942	•	•	•		-,
SISANTI	1,024,683	237,805	33,148	206,431	•		•		,
KANABEC	1,351,612	460,747	99,445	629,356	•	•	•		
MILLE LACS	1,782,238	906,632	54,695	731,115	•	.,			_
PINE	2,053,754	1,233,614	124,306		•	•	•	•	
RAMSEY	16,520	14,863	1,657	0	0	0	•		_
WASHINGTON D60 COMBINED COUNTIES	521,132	208,079	26,519	179,284	8,288	_	•	•	•
D60 EAST CENTRAL	12,078,152	4,889,868	671,251	3,914,284	82,881	1,182,335	95,200	11,497	1,230,835

, T 2

TABLE A-4
1999 Consumption of Corn Equivalents by Livestock Category and County

	County Total Corn Equivalents	Dairy Totals	Cow-Calf Totals	Beef Feeders	Sheep Totals	Swine Totals	Layer Totals	Broiler totals	Turkey Totals
	Bushels	Bushels	Bushels	Bushels	Bushels	Bushels	Bushels	Bushels	Bushels
COTTONWOOD	4,157,535	222,942	56,352	2,167,392	38,484	903,913	0	141,630	626,822
JACKSON	5,867,867	104,040	44,750	1,102,215	42,689	4,160,179	140,718	•	•
LINCOLN	2,539,636	505,336	84,528	1,229,031	75,932	641,487	•		•
LYON	9,404,623	371,571	89,500	3,095,209	38,925	5,479,441	•	•	•
MURRAY	8,191,067	653,964	71,269	2,722,561	81,462	4,644,062			,
NOBLES	11,448,529	579,650	81,213	3,130,480	40,647	7,407,358	124,717	24,050	· ·
PIPESTONE	3,747,857	832,318	150,824	1,472,093	88,349	1,203,705	567	•	•
REDWOOD	10,027,492	356,708	101,102	1,749,987	25,336	7,663,416	74,331	56,612	
ROCK	6,368,574	445,885	107,732	2,567,901	26,067	3,207,372	13,618		
D70 COMBINED COUNTIES									
D70 SOUTHWEST	61,753,180	4,072,413	787,270	19,236,867	457,890	35,310,933	527,465	222,587	1,137,755
BLUE EARTH	7,752,430	267,531	23,204	1,121,969	12,432	5,754,821	99,864	214	472,395
BROWN	9,202,784	1,189,026	38,120	1,653,879	19,790	•			,
FARIBAULT	2,551,329	341,845	33,148	624,307	19,805	•	•	•	•
FREEBORN	6,165,588	356,708	36,463	624,138		• •	•		_
LE SUEUR	4,446,529	698,553	33,148	932,723	·				·
MARTIN	21,873,157	222,942	33,148	1,497,494		• •	45,960		,
NICOLLET	4,323,974	862,044	13,259	704,850	8,288		1,026,220		
RICE	10,326,939	1,560,596	33,148	687,089		5,693,323		•	=
STEELE	5,183,763	817,455	18,232	614,832	6,216	•	•		, ,
WASECA	7,482,618	535,062	14,917	534,743	23,264	6,351,725			,-
WATONWAN	4,495,344	148,628	13,259	645,753	•	3,076,017		•	
D80 COMBINED COUNTIES	<b>3</b>				,	-,,		10	000,842
D80 SOUTH CENTRAL	83,804,455	7,000,389	290,047	9,641,776	172,950	60,704,921	1,671,310	21,746	4,301,318

TABLE A-4
1999 Consumption of Corn Equivalents by Livestock Category and County

	County Total Corn Equivalents	Dairy Totals	Cow-Calf Totals	Beef Feeders	Sheep Totals	Swine Totals	Layer Totals	Broiler totals	Turkey Totals
	Bushels	Bushels	Bushels	Bushels	Bushels	Bushels	Bushels	Bushels	Bushels
DAKOTA	3,729,796	683,690	41,435	2,174,119	8,288	640,895	0	294	181,075
DODGE	3,409,515	995,809	28,176			•	_		
FILLMORE	10,251,831	2,333,463	273,473	2,520,643	•	•	•		,
GOODHUE	9,160,096	3,790,019	102,759	2,455,021	31,081		•	•	164,826
HOUSTON	4,891,049	1,590,322	177,343	1,982,607	10,360	608,091	·		
MOWER	7,777,329	772,867	38,120	1,224,348	28,444	5,549,993	·		115,828
OLMSTED	4,754,968	1,679,499	149,167	1,725,985	22,792	792,643	•		•
WABASHA	5,406,662	3,091,467	145,852	1,745,850	11,396	206,467	•		
WINONA	8,886,297	4,102,139	129,278	2,475,499	15,540	2,013,778	2,383	187	147,493
D90 COMBINED COUNTIES D90 SOUTHEAST	58,267,543	19,039,274	1,085,604	17,190,878	158,982	17,314,866	660,478	2,726	2,814,736
STATE TOTAL	367,917,597	81,002,375	6,381,029	84,487,852	1,369,120	139,150,515	13,602,246	4,478,802	37,445,658

TABLE A-5

1999 Consumption of Soybean Meal by Livestock Category and County

	County Total All Livestock	Dairy	Beef Cow- Calf	Beef Feeders	Sheep	Swine	Layer	Broiler	Turkeys
	Tons	Tons	Tons	Tons	Tons	Tons	Tons	Tons	Tons
BECKER	29,290	13,294	463	355	27	564	689	0	13,897
CLAY	11,294	3,600	261	389				=	1,482
CLEARWATER	4,938	2,216	579	425	37		•	291	0
KITTSON	3,270	1,800	319	98	20		.,	. 0	177
MAHNOMEN	4,421	2,908	174	269			-	-	0
MARSHALL	3,978	2,631	319	295	51	79		1	601
NORMAN	5,163	2,908	174	186	3			1	0
PENNINGTON	2,073		203	80	3	•	_	4	0
POLK	6,640	4,985	521	476	27	623	-	-	0
RED LAKE	25,787	1,939	261	184	31	153	-	_	-
ROSEAU	17,413	4,847	521	441				_	11,183
D10 COMBINED COUNTIES	<b>S</b> 0	0	0	0				0	11,103
D10 NORTHWEST	114,268	42,651	3,794	3,200		-	•	299	<b>50,292</b>

TABLE A-5

1999 Consumption of Soybean Meal by Livestock Category and County

		County Total All Livestock	Dairy	Beef Cow- Calf	Beef Feeders	Sheep	Swine	Layer	Broiler	Turkeys
		Tons	Tons	Tons	Tons	Tons	Tons	Tons	Tons	Tons
	BELTRAMI	4,530	3,462	649	355	34	29	0		1 0
	CASS	6,332	3,323	736				-		0 991
	HUBBARD	7,099	969	261	164			_		0 5,534
	ITASCA	1,063	554	290				_		1 0
	KOOCHICHING	532	277	162				-		0 0
<b>-</b>	LAKE OF THE WOODS	492	277					~		0 0
12	<b>D20 COMBINED COUNTIES</b>	0	0	0		_	00	_		0 0
ယ်	D20 NORTH CENTRAL	20,048	8,863	2,201	1,311	115	•	•		2 6,525
	соок	6	0	6	0	0	0	0		0 0
	LAKE	67	0	6	3	3	•	_		0 0
	ST. LOUIS	2,261	1,800	220	170			1		2 0
	<b>D30 COMBINED COUNTIES</b>	0	0	0	0	0	• • • • • • • • • • • • • • • • • • • •			0 0
	D30 NORTHEAST	2,333	1,800	232	-	-	•	1		2 0

TABLE A-5

1999 Consumption of Soybean Meal by Livestock Category and County

		County Total All Livestock	Dairy	Beef Cow- Calf	Beef Feeders	Sheep	Swine	Layer	Broiler	Turkeys
		Tons	Tons	Tons	Tons	Tons	Tons	Tons	Tons	Tons
	BIG STONE CHIPPEWA	10,638	1,662				7,245		0	1,064
	DOUGLAS	12,027 18,439	831 15,233	93 214	229 347		9,914 1,146		•	
	GRANT LAC QUI PARLE	7,301 17,913	2,354 2,354	75 <b>24</b> 9	132 362		· · · · · · · · · · · · · · · · · · ·	2,341		0
•	OTTER TAIL POPE	77,359 15,360	42,236 10,386	886	1,455 413	122	2,997	254	<del></del>	,
•	STEVENS SWIFT	14,819	3,185	151	919	48	2,257 9,598			.,
	TRAVERSE	20,826 2,477	3,323 138	185 93	559 256		4,244 1,970		_	,
	WILKIN YELLOW MEDICINE	3,784 31,914	1,385 3,323	75 266	33 579	3 61	1,614 24,162	62	0	611
	D40 COMBINED COUNTIES D40 WEST CENTRAL	232,856	0 <b>86,411</b>	0 <b>2,780</b>	0 <b>5,471</b>	0 <b>493</b>	0	0	0	•
			30,777	2,700	3,471	493	80,407	6,618	175	50,501

TABLE A-5

1999 Consumption of Soybean Meal by Livestock Category and County

		County Total All Livestock	Dairy	Beef Cow- Calf	Beef Feeders	Sheep	Swine	Layer	Broiler	Turkeys
		Tons	Tons	Tons	Tons	Tons	Tons	Tons	Tons	Tons
	BENTON	34,810	19,249	232	263	17	4,551	2 266	0.000	•
	CARVER	24,028	19,664	75	339		3,604	2,266	•	0
	KANDIYOHI	92,022	•	151	545	= -	· · ·	280		0
	MCLEOD	18,485	•				8,338	146	•	,
	MEEKER	52,676	•				3,588	29	33	0
	MORRISON	99,325	38,774	724			5,277	9,866		24,908
Α-	RENVILLE	40,811	4,016				2,297	5,908	15,420	35,495
25	SCOTT	12,621	9,832		1,293		18,500	• • • •	1	3,442
	SHERBURNE	11,352	2,493		439		2,196	40	1	0
	SIBLEY	46,179		87	250	· -	770	3,034	4,708	0
	STEARNS	•	13,017	104		85	23,839	7,327	0	1,204
	TODD	156,304	86,826	521	2,657	61	6,413	4,901	14,231	40,694
	WADENA	63,234	30,604	573		128	1,087	1,173	1	28,980
		20,789	8,032	272	423	41	50	23	2	11,947
	WRIGHT	28,706	19,802	191	827	37	2,132	804	160	•
	D50 COMBINED COUNTIES	-	0	0	0	. 0	. 0	0	0	4,755
	D50 CENTRAL	701,343	288,867	3,388	10,174	770	82,641	49,176	42,851	223,477

TABLE A-5

1999 Consumption of Soybean Meal by Livestock Category and County

		County Total All Livestock	Dairy	Beef Cow- Calf	Beef Feeders	Sheep	Swine	Layer	Broiler	Turkeys
		Tons	Tons	Tons	Tons	Tons	Tons	Tons	Tons	Tons
	AITKIN	6,723	1,939	319	195	20	25	0	,	0 4,225
	ANOKA	8,210	692	46			1,029	_		,
	CARLTON	3,648	3,185		• .	=		6	1	-,
	CHISAGO	5,811	4,570							
	CROW WING	4,729	2,908				1,049			1 0
_	HENNEPIN	6,125	3,739		194		299	68		0 100
Ţ	ISANTI	6,808	2,216							0 1,750
$\tilde{\mathcal{L}}$	KANABÉC	6,144	4,293				1,066			2 2,111
	MILLE LACS	9,688	8,447	191	421	24	371	120		0
	PINE	12,713	11,494				159			
	RAMSEY	144	138			0		214		1 0
	WASHINGTON	2,760	1,939	_	•	_	591	0	`	0
	<b>D60 COMBINED COUNTIES</b>		0	0	0	0	0	1	_	0
	D60 EAST CENTRAL	73,502	45,559	2,346	-	_	_	0 564	-	0 0
		,	,	_,5 10	_,500	212	1,500	561	118	B 14,662

TABLE A-5

1999 Consumption of Soybean Meal by Livestock Category and County

		County Total All Livestock	Dairy	Beef Cow- Calf	Beef Feeders	Sheep	Swine	Layer	Broiler	Turkeys
		Tons	Tons	Tons	Tons	Tons	Tons	Tons	Tons	Tons
	COTTONWOOD	21,215	2,077	197	1,379	134	8,564	0	1 454	7 440
	JACKSON	34,231	969		•		28,187	_	.,	•
	LINCOLN	12,148					6,078		_	0,200
	LYON	43,846							_	• • •
	MURRAY	37,275					28,728	•		-,
_	NOBLES	56,726		284			47,206		-	
ĺ	PIPESTONE	20,953			•		11,433			
7	REDWOOD	54,090	3,323				48,183		_	0
	ROCK	27,862	4,154	376			•	80		•
	<b>D70 COMBINED COUNTIES</b>	0	0		•	0	0			•
	D70 SOUTHWEST	308,346	37,943	2,751	12,197	1,604	234,928	•	•	•
	BLUE EARTH	50,331	2,493	81	701	41	40,840	589	2	5,584
	BROWN	59,114	11,078	133	981	70	36,507	603		- ,
	FARIBAULT	17,077	3,185	116	384	71	13,283			
	FREEBORN	37,558	3,323	127	384	98	33,041	565	_	-
	LE SUEUR	24,728	6,508	116	555	34	17,323			188
	MARTIN	130,989	2,077	116	946	89	125,074		5	
	NICOLLET	30,793	8,032	46	393	27	16,201	6,049	46	,
	RICE	79,788	14,540	116	360	31	37,057		1	27,665
	STEELE	31,357	7,616	64	340	20	21,899		0	
	WASECA	44,917	4,985	52	308	83	39,222		19	1,249
	WATONWAN	28,152	1,385	46	404	34	20,729	-	0	
	D80 COMBINED COUNTIES	0	0	0	0	0	20,720	0,540	0	.,
	D80 SOUTH CENTRAL	534,803	65,223	1,014	5,756	598	401,178	9,851	223	0 <b>50,960</b> ,

TABLE A-5

1999 Consumption of Soybean Meal by Livestock Category and County

		County Total All Livestock	Dairy	Beef Cow- Calf	Beef Feeders	Sheep	Swine	Layer	Broiler	Turkeys
		Tons	Tons	Tons	Tons	Tons	Tons	Tons	Tons	Tons
	DAKOTA	14,333	6,370	145	1,346	27	4,240	0	3	2,201
	DODGE	22,272	9,278	98	-		- ,		1	3,648
	FILLMORE	62,469	21,741	956		82	.,	•	2	3,046 11,790
	GOODHUE	56,148	35,312	359	•		,		, 5	2,004
	HOUSTON	26,998	14,817	620	•			18	14	6,123
Þ	MOWER	44,998	7,201	133	•	100	.,		1	1,408
A-2	OLMSTED	27,255	15,648	521	1,033		,	19	,	4,511
28	WABASHA	33,269	28,804	510	968		1,739		0	4,511
	WINONA	54,145	38,220	452	1,335		•	,	2	1,793
	D90 COMBINED COUNTIES	0	0	0	0	0	0		0	1,793
	D90 SOUTHEAST	341,886	177,391	3,794	10,004	_	_	•	28	33,478
	STATE TOTAL SBM (Tons)	2,329,386	754,709	22,300	50,686	4,654	927,458	80,172	45,983	443,424

TABLE A-6
Feed Consumption by MN Livestock & Related Grain Movement Patterns

	Corn Equiv. Consump.	Corn Equiv. Def./Surplus	Soy Meal Consumed	Total Grain Leaving Co.	Grain Avail. To Exit Co.	Percent Grain Exit Co
County	Bushels	Bushels	Tons	Tons	Tons/ Sq. M	%
Becker	3,521,829	-2,438,000	29,290	58,254	96	0.370
Clay	2,106,223	2,593,169	11,294	437,640	482	0.881
Clearwater	1,289,141	-1,080,291	4,938	0	0	0.000
Kittson	590,913	816,527	3,270	306,900	392	0.950
Mahnomen	969,180	-270,131	4,421	72,368	244	0.727
Marshall	892,633	35,982	3,978	223,950	185	0.903
Norman	967,164	1,631,977	5,163	392,438	520	0.936
Pennington	383,418	-125,534	2,073	47,227	97	0.813
Polk	1,486,204	2,503,648	6,640	651,114	396	0.939
Red Lake	2,579,100	-2,040,289	25,787	38,457	120	0.355
Roseau	2,354,923	-2,101,954	17,413	11,951	13	0.162
D10 Northwest	17,140,726	-474,896	114,268	2,240,297		
Beltrami	1,090,445	-1,058,217	4,530	0	0	0.000
Cass	1,455,167	-1,257,967	6,332	0	0	0.000
Hubbard	906,338	471,162	7,099	14,641	72	0.358
Itasca	404,240	-404,240	1,063	45	. 0	0.045
Koochiching	163,017	-163,017	532	0	0	0.045
Lake of the Woods	147,414	-147,414	492	3,957	22	0.920
D20 North Central	4,166,621	-2,559,693	20,048	18,643	22	0.920

-29

TABLE A-6
Feed Consumption by MN Livestock & Related Grain Movement Patterns

		Corn Equiv. Consump.	Corn Equiv. Def./Surplus	Soy Meal Consumed	Total Grain Leaving Co.	Grain Avail. To Exit Co.	Percent Grain Exit Co
	County	Bushels	Bushels	Tons	Tons	Tons/ Sq. M	%
	Cook	1,657	-1,657	6	0	0	0.000
	Lake	15,848		67	0	0	0.000
	St. Louis	523,179	-523,179	2,261	350	1	0.326
	D30 Northeast	540,685	-540,685	2,333	350	•	0.320
	Din Ctons						
	Big Stone	1,784,386	7,931,714	10,638	410,988	1,036	0.891
	Chippewa	2,194,442	21,327,758	12,027	782,392	1,572	0.927
	Douglas	2,589,540	2,407,803	18,439	174,434	417	0.705
A	Grant	1,247,690	6,874,068	7,301	438,704	1,008	0.926
3	Lac Qui Parle	3,257,335	18,340,865	17,913	750,222	1,208	0.891
	Otter Tail	10,329,776	6,000,996	77,359	414,329	316	0.587
	Pope	2,445,898	10,238,102	15,360	419,333	826	0.858
	Stevens	3,299,514	15,703,086	14,819	646,895	1,383	0.874
	Swift	3,025,970	20,366,630	20,826	774,072	1,276	0.901
	Traverse	709,660	12,045,789	2,477	598,518	1,216	0.967
	Wilkin	512,319	5,060,704	3,784	543,063	759	0.974
	Yellow Medicine	5,417,863	20,511,737	31,914	830,749	1,280	0.845
	D40 West Central	36,814,393	146,809,251	232,856	6,783,700	1,200	0.045

TABLE A-6
Feed Consumption by MN Livestock & Related Grain Movement Patterns

	County	Corn Equiv. Consump. Bushels	Corn Equiv. Def./Surplus Bushels	Soy Meal Consumed Tons	Total Grain Leaving Co. Tons	Grain Avail. To Exit Co. Tons/ Sq. M	Percent Grain Exit Co
	Benton	4,501,990	2,251,985	34,810	91,491	332	0.419
	Carver	3,416,910	5,051,690	24,028	206,636	863	
	Kandiyohi	9,399,011	12,373,789	92,022	•	879	
	McLeod	3,324,700	12,564,800	18,485	•	1,266	
	Meeker	6,746,116	8,598,214	52,676	396,153	865	
	Morrison	11,397,035	-1,905,263	99,325	0	0	
	Renville	7,264,181	33,465,419	40,811	1,279,681	1,362	3,333
,	Scott	2,197,339	3,439,061	12,621	141,287	767	0.696
A	Sherburne	1,759,821	1,969,779	11,352	68,919	420	
31	Sibley	7,673,053	12,777,947	46,179	547,176	1,130	
	Stearns	20,938,725	-129,352	156,304	144,326	143	
	Todd	7,486,309	-2,096,622	63,234	. 0	0	0.000
	Wadena	2,687,891	-998,710	20,789	0	0	0.000
	Wright	4,558,760	4,950,010	28,706	235,006	597	0.647
	D50 Central	93,351,842	92,312,746	701,343	4,125,711	30.	0.041

TABLE A-6
Feed Consumption by MN Livestock & Related Grain Movement Patterns

	County	Corn Equiv. Consump. Bushels	Corn Equiv. Def./Surplus Bushels	Soy Meal Consumed Tons	Total Grain Leaving Co. Tons	Grain Avail. To Exit Co. Tons/ Sq. M	Percent Grain Exit Co
	Aitkin	953,689	-933,689	6,723	0	0	0.000
	Anoka	888,032	35,968	8,210	-	82	
	Carlton	577,766	-577,766	3,648	•	0	0.000
	Chisago	976,057	1,726,143	5,811	71,739	378	
	Crow Wing	968,450	-478,450	4,729	0	0	0.000
	Hennepin	964,217	1,358,983	6,125	56,469	523	0.675
	Isanti	1,024,683	2,987,317	6,808	115,823	532	0.799
	Kanabec	1,351,612	298,088	6,144	17,350	80	0.308
Α-	Mille Lacs	1,782,238	552,262	9,688	26,509	126	0.344
32	Pine	2,053,754	-606,554	12,713	0	0	0.000
	Ramsey	16,520	-16,520	144	0	0	0.000
	Washington	521,132	2,448,868	2,760	89,874	640	0.858
	D60 East Central	12,078,152	6,794,648	73,502	385,080		

TABLE A-6
Feed Consumption by MN Livestock & Related Grain Movement Patterns

		Corn Equiv. Consump.	Corn Equiv. Def./Surplus	Soy Meal Consumed	Total Grain Leaving Co.	Grain Avail. To Exit Co.	Percent Grain Exit Co
	County	Bushels	Bushels	Tons	Tons	Tons/ Sq. M	%
	Cottonwood	4,157,535	22,219,665	21,215	838,600	1,389	0.878
	Jackson	5,867,867	20,742,533	34,231	801,676	1,337	0.829
	Lincoln	2,539,636	8,660,864	12,148	372,584	884	0.838
	Lyon	9,404,623	14,931,377	43,846	645,911	1,026	0.710
	Murray	8,191,067	17,109,133	37,275	707,414	1,180	0.755
	Nobles	11,448,529	15,893,071	56,726	687,177	1,127	0.681
	Pipestone	3,747,857	8,273,700	20,953	366,475	963	0.775
	Redwood	10,027,492	27,283,208	54,090	1,076,482	1,356	0.792
l	Rock	6,368,574	11,960,826	27,862	513,673	1,171	0.741
ນ ນ	D70 Southwest	61,753,180	147,074,377	308,346	6,009,992		
	Blue Earth	7,752,430	20,115,070	50,331	798,311	1,267	0.786
	Brown	9,202,784	13,947,016	59,114	581,377	1,062	0.788
	Faribault	2,551,329	26,607,971	17,077	959,346	1,485	0.930
	Freeborn	6,165,588	19,231,212	37,558	730,739	1,232	0.809
	Le Sueur	4,446,529	8,498,471	24,728	353,510	1,054	0.739
	Martin	21,873,157	10,928,843	130,989	545,105	829	0.471
	Nicollet	4,323,974	13,634,026	30,793	536,962	1,379	0.816
	Rice	10,326,939	2,162,461	79,788	155,813	397	0.350
,	Steele	5,183,763	9,602,437	31,357	386,372	1,090	0.727
1	<b>Waseca</b>	7,482,618	10,288,982	44,917	423,381	1,151	0.669
. 1	Watonwan	4,495,344	15,194,956	28,152	577,913	1,445	0.821
	D80 South Central	83,804,455	150,211,445	534,803	6,048,829	.,	0.021

TABLE A-6
Feed Consumption by MN Livestock & Related Grain Movement Patterns

		Corn Equiv. Consump.	Corn Equiv. Def./Surplus	Soy Meal Consumed	Total Grain Leaving Co.		Percent Grain Exit Co
	County	Bushels	Bushels	Tons	Tons	Tons/ Sq. M	%
	Dakota	3,729,796	9,483,404	14,333	358,433	1,037	0.774
	Dodge	3,409,515	12,697,185	22,272	•	.,	0.833
	Fillmore	10,251,831	12,300,391	62,469	487,901	719	0.627
	Goodhue	9,160,096	10,730,639	56,148	425,930		0.623
	Houston	4,891,049	4,629,341	26,998	168,866		0.549
	Mower	7,777,329	17,892,671	44,998	715,217	1,132	0.766
	Olmsted	4,754,968	11,241,032	27,255	413,278	871	0.754
	Wabasha	5,406,662	6,440,693	33,269	237,703	600	0.608
A-	Winona	8,886,297	2,862,203	54,145	116,393	257	0.318
34	D90 Southeast	58,267,543	88,277,558	341,886	3,400,575		- , -
	State Totals	367,917,597	627,904,752	2,329,386	29,013,177		

TABLE A-7
1999 Valuation of County Grain Production,
Consumption, (Imports/Exports)

COUNTY & DISTRICT	Value of Grain Prod.	Value of Grain Consumed	Value of Net Grain Exports or (Imports)
Test Weight	Dollars	Dollars	Dollars
BECKER	\$17,032,605	\$5,980,043	\$11,052,562
CLAY	\$52,426,425	\$3,551,310	\$48,875,115
CLEARWATER	\$1,354,380	\$2,135,975	(\$781,595)
KITTSON	\$32,783,660	\$897,463	\$31,886,197
MAHNOMEN	\$10,930,750	\$1,611,857	\$9,318,893
MARSHALL	\$26,090,910	\$1,328,677	\$24,762,233
NORMAN	\$45,900,020	\$1,602,169	\$44,297,851
PENNINGTON	\$6,348,560	\$623,799	\$5,724,761
POLK	\$74,743,815	\$2,524,614	\$72,219,201
RED LAKE	\$12,208,530	\$4,049,375	\$8,159,155
ROSEAU	\$7,340,155	\$3,383,597	\$3,956,558
D10 COMBINED COUNTIES	\$358,580	\$0	\$358,580
D10 NORTHWEST	\$287,518,390	\$27,688,877	\$259,829,513
BELTRAMI	\$529,100	\$1,646,612	(\$1,117,512)
CASS .	\$369,800	\$2,610,033	(\$2,240,233)
HUBBARD	\$2,509,090	\$1,589,049	\$920,041
ITASCA	\$56,160	\$53,646	\$2,514
KOOCHICHING	\$19,980	\$30,042	(\$10,062)
LAKE OF THE WOODS	\$422,860	\$19,312	\$403,548
<b>D20 COMBINED COUNTIES</b>	\$208,595	\$0	\$208,595
D20 NORTH CENTRAL	\$4,115,585	\$5,948,693	(\$1,833,108)
СООК	\$0	\$1,073	(\$1,073)
LAKE	\$0	\$1,073	(\$1,073)
ST. LOUIS	\$60,480	\$40,771	\$19,709
D30 COMBINED COUNTIES	\$40,105	\$0	\$40,105
D30 NORTHEAST	\$100,585	\$42,917	\$57,669

**TABLE A-7** 

COUNTY & DISTRICT	Value of Grain Prod.	Value of Grain Consumed	Value of Net Grain Exports or (Imports)
Test Weight	Dollars	Dollars	Dollars
:			
BIG STONE	\$42,441,535	\$3,058,120	\$39,383,415
CHIPPEWA	\$67,704,440	\$3,747,700	\$63,956,740
DOUGLAS	\$22,682,640	\$4,423,586	\$18,259,054
GRANT	\$45,712,300	\$2,127,957	\$43,584,343
LAC QUI PARLE	\$71,644,120	\$5,583,579	\$66,060,541
OTTER TAIL	\$58,334,555	\$17,668,749	\$40,665,806
POPE	\$40,448,670	\$4,224,528	\$36,224,142
STEVENS	\$61,701,095	\$5,637,043	\$56,064,052
SWIFT	\$70,025,225	\$5,178,457	\$64,846,768
TRAVERSE	\$56,341,075	\$1,220,856	\$55,120,219
WILKIN	\$58,751,195	\$868,071	\$57,883,124
YELLOW MEDICINE	\$82,150,090	\$9,259,678	\$72,890,412
<b>D40 COMBINED COUNTIES</b>	\$632,265	\$0	\$632,265
D40 WEST CENTRAL	\$678,569,205	\$62,998,325	\$615,570,880
BENTON	\$15,263,165	\$7,679,893	\$7,583,272
CARVER	\$23,960,195	\$5,822,668	\$18,137,527
KANDIYOHI	\$62,557,875	\$16,006,139	\$46,551,736
MCLEOD	\$48,162,580	\$5,674,495	\$42,488,085
MEEKER	\$49,056,280	\$11,491,836	\$37,564,444
MORRISON	\$19,196,800	\$19,468,443	(\$271,643)
RENVILLE	\$120,951,315	\$12,362,998	\$108,588,317
SCOTT	\$16,253,610	\$3,752,626	\$12,500,984
SHERBURNE	\$8,288,370	\$3,007,775	\$5,280,595
SIBLEY	\$63,172,890	\$13,063,440	\$50,109,450
STEARNS	\$54,249,935	\$35,587,938	\$18,661,997
TODD	\$14,873,820	\$12,750,346	\$2,123,474
WADENA	\$3,423,310	\$4,589,084	(\$1,165,774)
WRIGHT	\$30,326,795	\$7,779,118	\$22,547,677
D50 COMBINED COUNTIES	\$665,510	\$0	\$665,510
D50 CENTRAL	\$530,402,450	\$159,036,799	\$371,365,651

### **TABLE A-7**


	Value of Grain	Value of Grain	Value of Net Grain Exports or
COUNTY & DISTRICT	Prod.	Consumed	(Imports)
Test Weight	Dollars	Dollars	Dollars
root troigin	Donaro	Donais	Donais
AITKIN	\$34,000	\$1,680,275	(\$1,646,275)
ANOKA	\$2,405,010	\$1,518,231	\$886,779
CARLTON	\$0	\$37,552	(\$37,552)
CHISAGO	\$8,109,700	\$1,688,258	\$6,421,442
CROW WING	\$926,960	\$1,716,096	(\$789,136)
HENNEPIN	\$6,690,740	\$1,649,891	\$5,040,849
ISANTI	\$11,420,800	\$1,763,411	\$9,657,389
KANABEC	\$4,100,855	\$2,362,105	\$1,738,750
MILLE LACS	\$5,614,660	\$3,065,197	\$2,549,463
PINE	\$3,737,170	\$3,571,834	\$165,336
RAMSEY	\$0	\$1,073	(\$1,073)
WASHINGTON	\$8,200,230	\$903,088	\$7,297,142
D60 COMBINED COUNTIES	\$790,820	\$0	\$790,820
D60 EAST CENTRAL	\$52,030,945	\$19,957,010	\$32,073,935
COTTONWOOD	\$77,767,770	\$7,104,256	\$70,663,514
JACKSON	\$78,816,680	\$10,004,296	\$68,812,384
LINCOLN	\$38,024,775	\$4,372,079	\$33,652,696
LYON	\$75,539,310	\$16,045,722	\$59,493,588
MURRAY	\$77,325,720	\$13,970,884	\$63,354,836
NOBLES	\$83,046,250	\$19,514,980	\$63,531,270
PIPESTONE	\$40,725,385	\$6,455,842	\$34,269,543
REDWOOD	\$110,627,585	\$17,112,103	\$93,515,482
ROCK	\$58,185,720	\$10,896,263	\$47,289,457
<b>D70 COMBINED COUNTIES</b>	\$727,060	\$0	\$727,060
D70 SOUTHWEST	\$640,786,255	\$105,476,425	\$535,309,830
BLUE EARTH	\$83,070,410	\$13,194,089	\$69,876,321
BROWN	\$67,894,420	\$15,669,336	\$52,225,084
FARIBAULT	\$82,134,250	\$4,358,697	\$77,775,553
FREEBORN	\$72,218,580	\$10,505,054	\$61,713,526
LE SUEUR	\$39,336,020	\$7,580,521	\$31,755,499
MARTIN	\$91,908,540	\$37,205,650	\$54,702,890
NICOLLET	\$53,751,855	\$7,359,305	\$46,392,550
RICE	\$35,464,590	\$17,577,172	\$17,887,418
STEELE	\$42,806,630	\$8,824,158	\$33,982,472
WASECA	\$50,678,290	\$12,730,048	\$37,948,242
WATONWAN	\$56,618,905	\$7,650,632	\$48,968,273
D80 COMBINED COUNTIES	\$728,810	\$0	\$728,810
D80 SOUTH CENTRAL	\$676,611,300	\$142,654,662	\$533,956,638

**TABLE A-7** 

COUNTY & DISTRICT	Value of Grain Prod.	Value of Grain Consumed	Value of Net Grain Exports or (Imports)
Test Weight	Dollars	Dollars	Dollars
DAKOTA	\$36,394,105	\$6,367,446	\$30,026,659
DODGE	\$45,647,150	\$5,814,388	\$39,832,762
FILLMORE	\$59,490,540	\$17,588,871	\$41,901,669
GOODHUE	\$52,221,760	\$15,623,510	\$36,598,250
HOUSTON	\$21,970,980	\$8,422,188	\$13,548,792
MOWER	\$75,911,470	\$13,246,074	\$62,665,396
OLMSTED	\$41,810,235	\$8,179,970	\$33,630,265
WABASHA	\$28,227,290	\$9,276,926	\$18,950,364
WINONA	\$24,795,765	\$15,174,572	\$9,621,193
<b>D90 COMBINED COUNTIES</b>	\$378,335	\$0	\$378,335
D90 SOUTHEAST	\$386,847,630	\$99,693,945	\$287,153,685
D98 COMBINED COUNTIES	\$360,405	\$0	\$360,405
D98 COMBINED DISTRICTS	\$360,405	\$0	\$360,405
STATE TOTAL	\$3,257,703,155	\$623,497,653	\$2,634,205,502


### APPENDIX B MAPS

# 1999 Corn or Barley Consumption by Livestock




Map B-2


## Corn/Barley Deficit or Surplus (Bushels)



### 1999 Soybean Meal Consumption (Tons) Map B-3



Grain & Oilseeds Available to Leave Counties (Tons) Map B-4



B-4

1999 Grain & Oilseeds Avail.to Leave County (T./Sq. Mile) Map B-5

